

Attachment C

Pictures of
existing
equipment

National Wheel-O-Vator
A Division of ThyssenKrupp Access
309-923-7803

CONTROLLER FOR PLATFORM LIFTS AND
STAIRWAY CHAIR LIFTS

	MOTOR	CONTROLLER	SUPPLY
MODEL NUMBER	HPCDE120		
SERIAL NUMBER	144184		
SCHEMATIC NUMBER	HE10001		
DATE OF MANUFACTURE	09/02/11		

CAUTION!
RISK OF ELECTRIC SHOCK
MORE THAN ONE DISCONNECT SWITCH
MAY BE REQUIRED TO DE-ENERGIZE THE
EQUIPMENT BEFORE SERVICING.

USE 60° COPPER WIRE ONLY

	MOTOR OUTPUT	
VOLTAGE	24 VDC	
PHASE	N/A	
MOTOR H.P.	3	H.P.
CYCLES	N/A	HZ
F.L. AMPS	50	

ENCLOSED ELEVATOR CONTROL PANEL
NO. BX719942
AS TO ELECTRICAL SHOCK AND FIRE
HAZARD IN ACCORDANCE WITH
CAN/CSA B44.1/ASME A17.5.

CLASSIFIED
UL US

8/22/11 JZ

Accessibility Lift

This Accessibility Lift has been installed to be used

MOBILITY IMPAIRED PERSONS

NO FREIGHT

The capacity of this lift is:

750 lbs. (340 kgs.)

If you cannot access the lift or experience other problems, please contact the building / equipment owner. If problems are not resolved, contact the local Accessibility Contractor listed below:

THYSSENKRUPP ELEVATOR
COLUMBIA, SC 29203
PH: (803) 798-3895

This lift was manufactured by the following **Accessibility Equipment Manufacturers Association (AEMA)** member:

National Wheel-O-Vator
A Division of ThyssenKrupp Access
309-923-7803



National Wheel-O-Vator

A Division of ThyssenKrupp Access
309-923-7803

Rated Speed - 20 F.P.M.

Rated Load - Maximum 750 lbs.

Car Weight - 250 lbs.

Suspension and

Support Means - Chain/Hydraulic

120 Volts A.C. 60 Cycles 20 Amps

Date of Manufacture 09/02/11

Mod. No. HPCDE120 Serial No. 144184





