UNIVERSITY OF SOUTH CAROLINA UPSTATE

PLUMBING/MECHANICAL UPGRADES TO SMITH 201

PROJECT MANUAL

APRIL 22, 2015

TABLE OF CONTENTS

Project Name: Plumbing/Mechanical Upgrades to Smith 201

Project Number: CP00412811

Section	Number of Pages
Table of Contents	1
Invitation for Minor Construction Quotes (SE-311 –2015 Edition)	2
Standard Bid Quote (SE-331- 2015 Edition)	1
USC Supplemental General Conditions for Constructions Projects	3
Contract's One-Year Guarantee	1

Specification

Please see all drawing for technical specifications

SE-311

INVITATION FOR MINOR CONSTRUCTION QUOTES

PROJECT NAME: PLUMBING/MECHANIC	CAL UPGRADES TO SMITH 201
PROJECT NUMBER: CP00412811	
PROJECT LOCATION: University of South	Carolina Upstate - Spartanburg, SC
BID SECURITY REQUIRED?	Yes No 🖂
•	Yes No No
_	Yes ☐ No ☒ CONSTRUCTION COST RANGE: \$ 10,000 - \$20,000
	of two lab sinks and eyewash station in laboratory. Bidders are responsible for obtaining ebsite: http://purchasing.sc.edu (See Facilities Construction Solicitations and Awards.)
Small and minority business participation is end	
	OBTAINED FROM: http://purchasing.sc.edu (See Facilities Construction Solicitations to check the website for all updates and addendums.
PLAN DEPOSIT AMOUNT: \$ \$0.00	IS DEPOSIT REFUNDABLE Yes □ No □ N/A ⊠
	he above listed source(s) to be listed as an official plan holder. Only those Bidding Documents/Plans Bidders rely on copies of Bidding Documents/Plans obtained from any other source at their own risk.
IN ADDITION TO THE ABOVE OFFICIAL	L SOURCE(S), BIDDING DOCUMENTS/PLANS ARE ALSO AVAILABLE AT:
All questions & correspondence concerning this Invit	ation shall be addressed to the A-E.
A-E NAME: Peritus Engineers & Associates	
A-E CONTACT: Jody Parker	
A-E ADDRESS: Street/PO Box:10 E. I	Oorchester Blvd./ P. O. Box 16598
City: Greenville	State: SC ZIP : 29606-6598
EMAIL: jparker@peritusengineers.com	
TELEPHONE: (864) 277-8287	FAX: (864) 277-8290
AGENCY: University of South Carolina	
AGENCY PROJECT COORDINATOR: 1	Vichelle Adams
ADDRESS: Street/PO Box:743 Greene	Street
City: Columbia	State: SC ZIP: 29028-
EMAIL: mdadams@fmc.sc.edu	
TELEPHONE: 803-777-0981	FAX: 803-777-4334
PRE-QUOTE CONFERENCE: Yes ⊠	No ☐ MANDATORY ATTENDANCE: Yes ☐ No ☒
PRE-QUOTE DATE: 5/1/2015	TIME: 10:00am PLACE: 155 University Way, Spartanburg, SC 29302
QUOTE CLOSING DATE: 5/12/2015	TIME: 2:00pm PLACE: 743 Greene Street, Columbia, SC Conf #57
QUOTE DELIVERY ADDRESSES:	
HAND-DELIVERY:	MAIL SERVICE:
Attn: Michelle Adams	Attn: Michelle Adams
743 Greene Street	743 Greene Street
Columbia, SC	Columbia, SC
A DDD OVED DV.	DATE: 4/22/2015
APPROVED BY: (Agency	Project Coordinator) DATE: 4/22/2015

SE-331 QUOTE FORM

Quotes shall be submitted only on SE-331.

_						
Q	UOTE SUBMITTED B	Y:				
			(Office	eror's Name)		
Q	UOTE SUBMITTED T	O: <u>Universi</u>	-			
			,	ner's Name)		
F(OR: PROJECT NAM			pgrades to Smi	th 201	
	PROJECT NUM	IBER: <u>CP0</u>	0412811			
<u>OI</u>	FFER					
 2. 	In response to the Invitation f named Project, the undersigned in the form included in the Soli for the prices and within the tin Pursuant to Section 11-32-3030 amount and form required by the	d OFFEROR procitation Docume ne frames indicate (0(1) of the SC Cone Solicitation Docume	oposes and agrees, if t nts, and to perform all ed in the Solicitation a ode of Laws, as amen	his Quote is accepted Work as specified o and in accordance wi	d, to enter into a G r indicated in the th the other terms	Contract with the Owner Solicitation Documents, and conditions stated.
	☐ Bid Bond with Powe	r of Attorney	☐ Elect	ronic Bid Bond		Cashier's Check
3.	OFFEROR acknowledges the				ments and has inc	corporated the effects of
	said Addenda into its Quote (B	_	_			
4.	ADDENDA: OFFEROR agrees that this Q	☐ #1	□ #2	☐ #3	☐ #4	☐ #5
5.6.	quotes, and shall remain open that OFFEROR may agree to OFFEROR agrees that from	for acceptance for in writing upon real the compensa lendar day the a Fime for Substantits offer to provide	r a period of <u>60</u> Da equest of the Owner. tion to be paid, the actual construction tin tial Completion, as pro- de all labor, materials,	ys following the Quo e Owner shall retaine required to achievided in the Contract equipment, tools of	n as Liquidated eve Substantial C et Documents. trades and labor,	Completion exceeds the accessories, appliances,
	6.1 BASE QUOTE \$					
				OTE in figures only		
	6.1.1 ALTERNATE NO	O.1 \$		to be ADDED /	(circle one)	from BASE QUOTE.
	6.1.2 ALTERNATE NO	O. 2 \$		to be ADDED /	DEDUCTED (circle one)	from BASE QUOTE.
SC	Contractor's License Number	:	T1	nis Quote is hereby s named above.	submitted on bel	nalf of the Offeror
Cla	assification(s) & Limits:			Y:		
Ad	dress:			(Signature	e of Offeror's Rep	presentative)
Tel	lephone/Fax			(Print or Typ	oe Name of Offer	or's Representative)
E-1	mail		l TI	TLE:		

USC SUPPLEMENTAL GENERAL CONDITIONS FOR CONSTRUCTION PROJECTS

WORK AREAS

- 1. The Contractor shall maintain the job site in a safe manner at all times. This includes (but is not limited to) the provision and/or maintenance of lighting, fencing, barricades around obstructions, and safety and directional signage.
- 2. Contractor's employees shall take all reasonable means not to interrupt the flow of student traffic in building corridors, lobbies, stairs and exterior walks. All necessary and reasonable safety precautions shall be taken to prevent injury to building occupants while transporting materials and equipment through the work area. Providing safe, accessible, plywood-shielded pedestrian ways around construction may be required if a suitable alternative route is not available.
- 3. At the beginning of the project, the USC Project Manager will establish the Contractor's lay-down area. This area will also be used for the Contractor's work vehicles. The lay-down area will be clearly identified to the contractor by the Project Manager, with a sketch or drawing provided to USC Parking Services. In turn, Parking Services will mark off this area with a sign containing the project name, Project Manager's name, Contractor name and contact number, and end date. Where this area is subject to foot traffic, protective barriers will be provided as specified by the Project Manager. The area will be maintained in a neat and orderly fashion.
- 4. Work vehicles parked in the lay down area (or designated parking areas) will be clearly marked and display a USC-furnished placard for identification. No personal vehicles will be allowed in this area, or in any areas surrounding the construction site. Personal vehicles must be parked in the perimeter parking lots or garages. Temporary parking permits can be obtained at the Contractor's expense at the USC Parking Office located in the Pendleton Street parking garage. Refer to the CAMPUS VEHICLE EXPECTATIONS (below) for additional information.
- 5. Contractor is responsible for removal of all debris from the site, and is required to provide the necessary dumpsters which will be emptied on a regular basis. Construction waste must not be placed in University dumpsters. The construction site must be thoroughly cleaned with all trash picked up and properly disposed of on a daily basis and the site must be left in a safe and sanitary condition each day. The University will inspect job sites regularly and will fine any contractor found to be in violation of this requirement an amount of up to \$1,000 per violation.
- 6. The Contractor shall be responsible for erosion and sediment control measures where ground disturbances are made.

PROJECT FENCING

- 7. All construction projects with exterior impacts shall have construction fencing at the perimeter. Fencing shall be 6' chain link with black or green privacy fabric (80-90% blockage). For fence panels with footed stands, sandbag weights shall be placed on the inside of the fence. Ripped sandbags shall be replaced immediately.
- 8. For projects with long fencing runs and/or high profile locations, decorative USC banners shall be used on top of privacy fabric; banners should be used at a ratio of one banner for every five fence panels. USC Project Manager will make arrangements for banner delivery for Contractor to hang.
- 9. The use of plastic safety fencing is discouraged and shall only be used on a temporary basis (less than four weeks) where absolutely necessary. Safety fencing shall be a neon yellow-green, high-

M:\Facilities Resources\Procurement\Memos & Form Letters\USC Suppl Conditions Updated 04-2015.doc

- visibility fencing equal to 'Kryptonight' by Tenax. Safety fencing shall be erected and maintained in a neat and orderly fashion throughout the project.
- 10. Vehicles and all other equipment shall be contained within a fenced area if they are on site for more than 3 consecutive calendar days.

BEHAVIOR

- 11. Fraternization between Contractor's employees and USC students, faculty or staff is strictly prohibited.
- 12. USC will not tolerate rude, abusive or degrading behavior on the job site. Heckling and cat-calling directed toward students, faculty or staff or any other person on USC property is strictly prohibited. Any contractor whose employees violate this requirement will be assessed a fine of up to \$500 per violation.
- 13. Contractor's employees must adhere to the University's policy of maintaining a drug-free and tobacco-free campus.

HAZARDOUS MATERIALS & SAFETY COMPLIANCE

- 14. A USC Permit to Work must be signed prior to any work being performed by the general contractor or sub-contractor(s).
- 15. The contractor will comply with all regulations set forth by OSHA and SCDHEC. Contractor must also adhere to USC's internal policies and procedures (available by request). Upon request, the contractor will submit all Safety Programs and Certificates of Insurance to the University for review.
- 16. Contractor must notify the University immediately upon the discovery of suspect material which may contain asbestos or other such hazardous materials. These materials must not be disturbed until approved by the USC Project Manager.
- 17. In the event of an OSHA inspection, the Contractor shall immediately call the Facilities Call Center, 803-777-4217, and report that an OSHA inspector is on site. An employee from USC's Safety Unit will arrive to assist in the inspection.

LANDSCAPE & TREE PROTECTION

- 18. In conjunction with the construction documents, the USC Arborist shall direct methods to minimize damage to campus trees. Tree protection fencing is required to protect existing trees and other landscape features to be affected by a construction project. The location of this fence will be evaluated for each situation with the USC Arborist, Landscape Architect and Project Manager. Tree protection fencing may be required along access routes as well as within the project area itself. Fence locations may have to be reset throughout the course of the project.
- 19. The tree protection fence shall be 6' high chain link fence with 80-90% privacy screening unless otherwise approved by USC Arborist and/or Landscape Architect. If the tree protection fence is completely within a screened jobsite fence perimeter, privacy fabric is not required. In-ground fence posts are preferred in most situations for greater protection. If utility or pavement conflicts are present, fence panels in footed stands are acceptable. See attached detail for typical tree protection fencing.
- 20. No entry, vehicle parking, or materials storage will be allowed inside the tree protection zone. A 4"

M:\Facilities Resources\Procurement\Memos & Form Letters\USC Suppl Conditions Updated 04-2015.doc

layer of mulch shall be placed over the tree protection area to maintain moisture in the root zone.

- 21. Where it is necessary to cross walks, tree root zones (i.e., under canopy) or lawns the following protective measures shall be taken:
 - a. For single loads up to 9,000 lbs., a 3/4" minimum plywood base shall be placed over 4" of mulch.
 - b. For single loads over 9,000 lbs., two layers of 3/4" plywood shall be placed over 4" of mulch.
 - c. Plywood sheets shall be replaced as they deteriorate or delaminate with exposure.
 - d. For projects requiring heavier loads, a construction entry road consisting of 10' X 16' oak logging mats on 12" coarse, chipped, hardwood base. Mulch and logging mats shall be supplemented throughout the project to keep matting structurally functional.
- 22. Damage to any trees during construction shall be assessed by the USC Arborist, who will stipulate what action will be taken for remediation of damage. The cost of any and all remediation will be assumed by the contractor at no additional cost to the project. Compensation for damages may be assessed up to \$500 per caliper inch of tree (up to 8") and \$500 per inch of diameter at breast height (for trees over 8").
- 23. Damage to trunks and limbs, as well as disturbance of the root zone under the dripline of tree, including compaction of soil, cutting or filling, or storage of materials, shall qualify as damage and subject to remediation.
- 24. Any damage to existing pavements or landscaping (including lawn areas and irrigation) will be remediated before final payment is made.

TEMPORARY FACILITIES

- 25. Contractor will be responsible for providing its own temporary toilet facilities, unless prior arrangements are made with the USC Project Manager.
- 26. Use of USC communications facilities (telephones, computers, etc.) by the Contractor is prohibited, unless prior arrangements are made with the USC Project Manager.

CAMPUS KEYS

27. Contractor must sign a Contractor Key Receipt/Return form before any keys are issued. Keys must be returned immediately upon the completion of the work. The Contractor will bear the cost of any re-keying necessary due to the loss of or failure to return keys.

WELDING

28. A welding (hot work) permit must be issued by the University Fire Marshall before any welding can begin inside a building. The USC Project Manager will coordinate.

PROJECT EVALUATION & CLOSE-OUT


- 29. For all projects over \$100,000, including IDCs, a Contractor Performance Evaluation (SE 397) will be reviewed with the GC at the beginning of the project and a copy given to the GC. At the end of the project the form will be completed by the USC Project Manager and a Construction Performance rating will be established.
- 30. Contractor must provide all O&M manuals, as-built drawings, and training of USC personnel on new equipment, controls, etc. prior to Substantial Completion. Final payment will not be made until

M:\Facilities Resources\Procurement\Memos & Form Letters\USC Suppl Conditions Updated 04-2015.doc

this is completed.

CAMPUS VEHICLE EXPECTATIONS

- Personal vehicles must be parked in the perimeter parking lots or garages. Temporary parking permits can be obtained at the Contractor's expense at the USC Parking Office located in the Pendleton Street parking garage.
- 32. All motorized vehicle traffic on USC walkways and landscape areas must be approved by the USC Project Manager and Parking Division, have a USC parking placard, and be parked within the approved laydown area. Violators may be subject to ticketing, towing and fines.
- 33. All motorized vehicles that leak or drip liquids are prohibited from traveling or parking on walks or landscaped areas.
- 34. Drivers of equipment or motor vehicles that damage university hardscape or landscape will be held responsible for damages and restoration expense.
- 35. All vehicles parked on landscape, hardscape, or in the process of service delivery, must display adequate safety devices, i.e. flashing lights, cones, signage, etc.
- 36. All drivers of equipment and vehicles shall be respectful of University landscape, equipment, structures, fixtures and signage.
- 37. All incidents of property damage shall be reported to Parking Services or the Work Management Center.



NOTES:

- PROVIDE PROTECTION FENCING FOR ALL TREES WITHIN AREA OF DISTURBANCE AND CONSTRUCTION ACCESS.
- 2. PROTECTION FENCING SHALL BE IN PLACE PRIOR TO BEGINNING CONSTRUCTION.
- 3. PROTECTION FENCING TO BE PLACED AT THE OUTSIDE OF THE CANOPY DRIPLINE, OR AT A DISTANCE OF ONE FOOT PER ONE INCH OF TREE DIAMETER, MEASURED AT BREAST HEIGHT, WHICHEVER IS LARGER, UNLESS OTHERWISE INDICATED ON LANDSCAPE PLAN OR APPROVED BY UNIVERSITY ARBORIST.
- 4. IN—GROUND POSTS ARE STANDARD. IF EXISTING ROOTS, UTILITIES OR PAVEMENT PRECLUDE USE OF IN—GROUND POSTS, FOOTED STANDS ARE ACCEPTABLE. SAND BAGS SHALL BE PLACED ON THE INSIDE OF FENCE.
- 5. DAMAGE TO ANY TREES DURING CONSTRUCTION SHALL BE ASSESSED BY UNIVERSITY ARBORIST AND THE UNIVERSITY ARBORIST SHALL STIPULATE WHAT ACTION WILL BE TAKEN FOR REMEDIATION OF DAMAGE. THE COST OF ANY AND ALL REMEDIATION WILL BE ASSUMED BY CONTRACTOR AT NO ADDITONAL COST TO THE PROJECT.
- 6. DISTURBANCE OF ROOT ZONE UNDER DRIPLINE OF TREE, INCLUDING COMPACTION OF SOIL, CUTTING OR FILLING OR STORAGE OF MATERIALS SHALL QUALIFY AS DAMAGE AND SUBJECT TO REMEDIATION.

Project Name:
Project Number:
University of South Carolina
CONTRACTOR'S ONE YEAR GUARANTEE
STATE OF
COUNTY OF
WE_
WE
Defects or failures resulting from abuse by Owner.
Damage caused by fire, tornado, hail, hurricane, acts of God, wars, riots, or civil commotion.
[Name of Contracting Firm]
*By
Title
*Must be executed by an Officer of the Contracting Firm.
SWORN TO before me this day of, 2 (seal)
State

My commission expires _____