A GOODWYN, MILLS AND CAWOOD COMPANY

ADDENDUM NO. 1

January 27, 2012

From: Michael Keeshen & Associates 101 East Washington St Suite 320 Greenville, South Carolina 29601

To: Prospective Bidders

Re: Upstate 8000 Valley Falls Road Renovations/Upgrade – Building Repairs State Project Number H34-I1338 MKA Project Number 11031

This addendum forms a part of the Construction Documents and modifies the original Bidding Documents dated 01.02.2012 as noted below. Acknowledge receipt of this addendum in the space provided on the Bid Form. Failure to do so may subject Bidder to disqualification.

GENERAL:

A1G1 Non-Mandatory Pre-Bid sign-in sheet attached.

PROJECT MANUAL & TECHNICAL SPECIFICATIONS:

- A1S1 Section I, add "USC Supplemental General Conditions for Construction Projects" dated July 15, 2011 to the Project Manual.
- A1S2 Section I, add "Contractor's One Year Guarantee" to the Project Manual.
- A1S3 Section 09911, Exterior Painting, 3.3A.1.c, the topcoat shall be semi-gloss to match existing.
- A1S4 Section 07214, Closed Cell Spray Foam, shall be provided at a depth to achieve R-19.

DRAWINGS:

A1D1 Sheet A2.01, Interior Elevations 11N and 11H, the existing concrete knee wall shall be painted to match the interior walls.

1

A GOODWYN, MILLS AND CAWOOD COMPANY


- A1D2 Sheet A2.01, Floor Plan, there is an existing door and stair exiting Mech Room 118 that was not shown on the bid documents. This door will only require on-site coordination of the roof drain extension.
- A1D3 Sheet A2.21, Replace Plan Note 1 with the following, "Coat existing translucent panels with a clear acrylic coating that is compatible with specified fluid applied coating system."
- A1D4 Sheet A5.01, Detail 14N, the HDPE Pipe shall be solid, shall be installed at approximately 12 inches below finish floor and fall 1%, and shall be placed in bed of macadam stone base. The General Contractor shall assume cutting and patching of the concrete sidewalk at the termination of this drain line.

PRIOR APPROVALS:

A1P1 The following manufacturers are approved to substitute their products for the specified sections below, provided all terms and conditions of the specifications are met, including the ability to provide all incidental accessories required for a complete installation:

Product Specification Section	Manufacturer	
07214 Closed Cell Spray Foam	BASF	

End of Addendum No 1.



ATTENDEE'S NAME

Bill DAVIS


BRYAN LANGLEY

ED Phillips

Donnic Browning

COMPANY NAME & MAILING ADDRESS

Lindler Const Co. Inc
331 S. Edisto AUENUE
(D/A. SC. 29205
PHONE# 803-252-9948
FAX# 803-779-3609
EMAIL WDAUIS43DSC, RR.Com
CANNON CONSTRUCTION CO. INC.
<u>PO BUX 25576</u>
<u>GREENVILLE SC 29616</u>
<u>PHONE#_964-444-2368</u>
FAX# 864-286-0864
EMAIL blangley @ connorbuilt. com
ProFab Custom Fabricators
290 Old Spartanburg Hmy
Wellford SC
PHONE# 770-616-8058
FAX# 864-721-2792
EMAIL EDPhillips @ Adabmetals. b.2
Boykin Contracting
167 Lott Ct.
W. Columbia SC 29170
PHONE# 803 413-5860
FAX# 803 926-5146
EMAIL mammons @ boykin usq. com



ATTENDEE'S NAME

Boomer Phillips


TOM GOW

James MolNAR

LARRY A. CARRAWAY

COMPANY NAME & MAILING ADDRESS

Sossamon Construction
PO Box 26
Gaffney, SC 29341
PHONE# 864-489-6148
FAX# 864-489-7570
EMAIL boomer @ sossamon construction.com
HATFIELD BUILDERS, INC.
33 MALL CONNECTOR ROAD
GREENVILLE, SC 29607
PHONE# (864) 241-6507
FAX# (864) 271-8135
EMAIL hurford Chatfieldbuilder.com
Colossal Construction
590 means St NW Suite 200
Atlanta, CA 30318
PHONE# 423-747-9366 ell
FAX# 404 829 2417
EMAIL james. molinge @ Colossa Construction Company Ilc. Com
CAPRAWAY CONSTRUCTION
130 CROMER DRIVE
Sunter SC 29150
PHONE# (803) 469-0550



ATTENDEE'S NAME


Tracy Burkhalter

Monly MUroskey

Raynews thighes

COMPANY NAME & MAILING ADDRESS

Moon Me Manus 306 A. Poinsett St West Green 29650 **PHONE#** FAX# E MADA MCMANUS, COM **EMAIL** Burkhelter Blamer Construction 55 Commerce Center SP-29615 Greenville PHONE# 864-627-0302 FAX# 864-627-0804 **EMAIL** rob. major @ Melloul. Com SPECZALIZZEN ROOBAL + ILA. 1621 SONTHPORT RD. SPACTANBURG, SC 2930L PHONE# 864-583-9320 FAX# 864-573-6739 HAL, HAIL C SEPITANC, COM **EMAIL** Construction MST Co INC 745 Greenwood Road West Columbia. Sc PHONE# 803 - \$ 796 - 3324 FAX# 803-739-0152 MSiconst. EMAIL Paymond c LOA



ATTENDEE'S NAME

Joson Paudley


Lane Foule

Kim Brossa

+ Hubertwy Mt

COMPANY NAME & MAILING ADDRESS

Jown 5 Canster Construction
132 West Cambinity Ave.
Town 5 Causter Construction 132 West Canadoridge AVE. Greenwood, 29649
<u>PHONE# 864-388-4018</u>
FAX# 8104 - 388 - 400 3
EMAIL BLAUCIS @ TCGRD: COM
Highlends Construction
2414 Wellen An
<u>Sportinburg</u> 50. 29302 PHONE# 844 - 582-6004
PHONE# 844 - 582 - 6004
FAX# 844 - 58 2. 00 52
EMAIL Jane F @ thy llc. Com
Highlands Construction
24My Wallace Ave
Spartasburg SC 29302
PHONE# 864 - 382-6004
FAX# 864-582-0052
EMAIL Kimble the Ilc. com
Browny Unilley Const.
PHONE# 864 680-3038
FAX# For Box 768
EMAIL PAULINE S.C. 29374



ATTENDEE'S NAME

Grea Tyler

COMPANY NAME & MAILING ADDRESS

Tyter Const Choup

PHONE# 3-865 - 1404 FAX# tyles - Construction com **EMAIL** ur @


CG HARTY -1

DENO WHITE

ST	ZICKLAND WATERPROOFING COMPANY
PHONE#	210XLANT WATERPROOFING COMPANY 104-347-1345 1704-400-1620
FAX#	704-347-1347
EMAIL	Captardy Q. strickland unterprophing. com

CON CAPITOL LLC PHONE# FAX# EMAIL DENOL ഗ ER. NË

PHONE#	
FAX#	
EMAIL	



ATTENDEE'S NAME

Authory Detalma

•		
$\Omega \Delta i \Delta m$	1 1	Marc
Dana.	10	LIMA
V	-	
		U

Lee Bedenbaugh

Tim LAFrambeiss

COMPANY NAME & MAILING ADDRESS

WHIPPIE CONSTRUCTION
307-B Falls STREET
GREEN VILLE SC 29601
PHONE# \$64-494-5887
FAX# 864-271-4135
EMAIL a depatra Owhipple-CONSTRUCTION
Com
JUNSCOT General contractors
PHONE# 804 - 284 - 9402
FAX# 804-284-9407
EMAIL Alogar & gon suot. com
Core Construction
1315 Plett Springs Rd
West Columbia, SC 29169
PHONE# (4-3) 791.8788
FAX# (603) 791-0388
EMAIL lee Cureconstruction SC. Com
Septitside coalstructori, inc
PO BOX 19010
CHARLOTTE, NC ZEZIS
PHONE# 704.825.8561
FAX# 704 . 87.5 . 8582
EMAIL ESTIMATING COSTASIDE CO. (on

USC SUPPLEMENTAL GENERAL CONDITIONS FOR CONSTRUCTION PROJECTS

- 1. Contractor's employees shall take all reasonable means not to interrupt the flow of student traffic in building corridors, lobbies and stairs. All necessary and reasonable safety precautions shall be taken to prevent injury to building occupants while transporting materials and equipment through the building to the work area. Providing safe, accessible, plywood pedestrian ways around construction may be required if a suitable alternative route is not available.
- 2. Fraternization between Contractor's employees and USC students, faculty or staff is strictly prohibited-zero tolerance!
- 3. USC will not tolerate rude, abusive or degrading behavior on the job site. Heckling and cat-calling directed toward students, faculty or staff or any other person on USC property is strictly prohibited. Any contractor whose employees violate this requirement will be assessed a fine of up to \$500 per violation.
- 4. Contractor's employees must adhere to the University's policy of maintaining a drugfree and smoke-free/tobacco free workplace.
- 5. Contractor must sign a Contractor Key Receipt/Return form before any keys are issued. Keys must be returned immediately upon the completion of the work. The Contractor will bear the cost of any re-keying necessary due to the loss of or failure to return keys.
- 6. A welding permit must be issued by the University Fire Marshall before any welding can begin inside a building. Project Manager will coordinate.
- 7. Contractor must notify the University immediately upon the discovery of suspect material such as those potentially containing asbestos or other such hazardous materials. These materials **must not** be disturbed until approved by the USC Project Manager.
- 8. At the beginning of the project, the USC Project Manager will establish the Contractor=s lay-down area. This area will also be used for the Contractor=s work vehicles. No personal vehicles will be allowed in this area, or in any areas surrounding the construction site that are not regular or authorized parking lots. Personal vehicles must be parked in the perimeter parking lots. Parking permits can be obtained at the USC Parking Office located in the Pendleton Street parking garage. The lay down area will be clearly identified to the contractor by the PM, with a sketch or drawing provided to Parking. In turn, the contractor will mark off this area with a sign containing the project name, PM name, Contractor name and contact number, and end date. Where this area is subject to foot traffic, protective barriers will be provided as specified by the PM. The area will be maintained in a neat and orderly fashion. Vehicles parked in the lay down area (or designated parking areas) will be clearly marked or display a CPC furnished placard for identification.

- 9. Contractor will be responsible for providing its own temporary toilet facilities, unless prior arrangements are made with the USC Project Manager.
- 10. Use of USC communications facilities (telephones, computers, etc.) by the Contractor is prohibited, unless prior arrangements are made with the USC Project Manager.
- 11. For all projects over \$100,000, including IDC's, an SE-395, Contractor Performance Evaluation, will be completed by the USC Project Manager and reviewed with the GC at the beginning of the project and a copy given to the GC. At the end of the project the form will be completed and a Construction Performance rating will be established.
- 12. Contractor is responsible for removal of all debris from the site, and is required to provide the necessary dumpsters which will be emptied at least ______ times per week. Construction waste must not be placed in University dumpsters. THE CONSTRUCTION SITE MUST BE THOROUGHLY CLEANED WITH ALL TRASH PICKED UP AND PROPERLY DISPOSED OF ON A DAILY BASIS AND THE SITE MUST BE LEFT IN A SAFE AND SANITARY CONDITION EACH DAY. THE UNIVERSITY WILL INSPECT JOB SITES REGULARLY AND WILL FINE ANY CONTRACTOR FOUND TO BE IN VIOLATION OF THIS REQUIREMENT AN AMOUNT OF UP TO \$1,000 PER VIOLATION.

13. <u>Contractor must provide all O&M manuals, as-built drawings, and training of USC personnel on new equipment, controls, etc. prior to Substantial Completion. Final payment will not be made until this is completed.</u>

- 14. The contractor will comply with all regulations set forth by OSHA and SCDHEC. Contractor must also adhere to USC's internal policies and procedures (available by request). As requested, the contractor will submit all Safety Programs and Certificates of Insurance to the University for review.
- 15. Tree protection fencing is required to protect existing trees and other landscape features to be preserved within a construction area. The limits of this fence will be evaluated for each situation with the consultant, USC Arborist and USC Project Manager. The tree protection fence shall be 5' high chain link fence unless otherwise approved by USC Project Manager. No entry or materials storage will be allowed inside the tree protection zone. A 4" layer of mulch shall be placed over the tree protection area to maintain moisture in the root zone.
- 16. Where it is necessary to cross walks, tree root zones (i.e., under canopy) or lawns the following measures shall be taken: For single loads up to 9,000 lbs., a 3/4" minimum plywood base shall be placed over areas impacted. For single loads over 9,000 lbs., two layers of 3/4" plywood is required.
- 17. For projects requiring heavy loads to cross walks tree root zones or lawns. A construction entry road consisting of 10' X 16' oak logging mates on 12" coarse, chipped, hardwood base. Mulch and logging mats shall be supplemented throughout the project to keep

Updated: July 15, 2011

matting structurally functional.

- 18. Any damage to existing landscaping (including lawn areas) will be remediated before final payment is made.
- 19. Orange safety fence to be provided by the contractor. (USC Arborist, Kevin Curtis may be contacted at 777-0033 or 315-0319)

Campus Vehicle Expectations

- 1. All motorized vehicles on the University campus are expected to travel and park on roadways and/or in parking stalls.
- 2. All motorized vehicle traffic on USC walkways must first receive the Landscape Manager=s authorization. Violators may be subject to fines and penalties.
- 3. All motorized vehicles that leak or drip liquids are prohibited from traveling or parking on walks or landscaped areas.
- 4. Contractors, vendors, and delivery personnel are required to obtain prior parking authorization before parking in a designated space. Violators may be subject to fines and/or penalties. See Item 10 below.
- 5. Drivers of equipment or motor vehicles that damage university hardscape or landscape will be held personally responsible for damages and restoration expense.
- 6. Vehicle drivers who park on landscape or drives must be able to produce written evidence of need or emergency requiring parking on same.
- 7. All vehicles parked on landscape, hardscape, or in the process of service delivery, must display adequate safety devices, i.e. flashing lights, cones, signage, etc.
- 8. All drivers of equipment and vehicles will be respectful of University landscape, equipment, structures, fixtures and signage.
- 9. All incidents of property damage will be reported to Parking Services or the Work Management Center.
- 10. Parking on campus is restricted to spaces designated by Parking Services at the beginning of the project. Once the project manager and contractor agree on how many spaces are needed, the project manager will obtain a placard for each vehicle. This placard must be hung from the mirror of the vehicle, otherwise a ticket will be issued and these tickets cannot be "fixed". Parking spaces are restricted to work vehicles only; no personal vehicles.

Project Name:

Project Number:

University of South Carolina

CONTRACTOR'S ONE YEAR GUARANTEE

STATE OF					
_					

COUNTY OF _____

WE___

as General Contractor on the above-named project, do hereby guarantee that all work executed under the requirements of the Contract Documents shall be free from defects due to faulty materials and /or workmanship for a period of one (1) year from date of acceptance of the work by the Owner and/or Architect/Engineer; and hereby agree to remedy defects due to faulty materials and/or workmanship, and pay for any damage resulting wherefrom, at no cost to the Owner, provided; however, that the following are excluded from this guarantee;

Defects or failures resulting from abuse by Owner.

Damage caused by fire, tornado, hail, hurricane, acts of God, wars, riots, or civil commotion.

[Name of Contracting Firm]

*By	V		

Title_____

*Must be executed by an office of the Contracting Firm.

SWORN TO before me this _____ day of _____, 2____ (seal)

_____State

My commission expires _____