



# UNIVERSITY OF SOUTH CAROLINA

## AMENDMENT NO.1 TO SOLICITATION

TO: ALL VENDORS

FROM: Leann Cudd, Procurement Specialist

SUBJECT: SOLICITATION NUMBER: USC-RFQ-3106-LC  
Furnish, deliver and install Fixed Auditorium Seating

DATE: March 22, 2017

---

This Amendment No.1 modifies the Request for quote only in the manner and to the extent as stated herein.

## **Vendor Questions and Answers**

---

BIDDER SHALL ACKNOWLEDGE RECEIPT OF AMENDMENT NO.1 IN THE SPACE PROVIDED BELOW AND RETURN IT WITH THEIR BID RESPONSE. FAILURE TO DO SO MAY SUBJECT BID TO REJECTION.

---

Authorized Signature

---

Name of Offeror

---

Date

**Question #1**

Pg 9; Scope

Does take down refer to removal of packaging material?

**Answer #1**

Take down refers to removal of all waste and packing materials from the site. Installer must take all remaining waste from the site when they complete the installation and vacate the site.

**Question #2**

Pg 10; 1.3; C - As opposed to a sample chair, is it acceptable to provide location of similar chair to demonstrate quality of seat & back cushion and an image of the open arm aisle end?

**Answer #2**

If a sample chair is not available in the bidding timeframe, an existing installation (within 100 miles of USC-Columbia) is acceptable. Sample must minimally include seat back and cushion type specified. Also provide the location and contact information so that a site visit can be arranged. Images of optional items (end panels, arm rests, tablets, row lettering, ADA aisle standard, etc.) is acceptable.

**Question #3**

Pg 10; 1.5 D - Will USC be responsible for patching concrete floor after removal of existing chairs?

**Answer #3**

The general contractor will be responsible for patching the concrete slab and installing new floor infuses. This work will be completed prior to the seat installation.

**Question #4**

Pg 12; 2.2.A.2 - Verify correct model # for basis of design chair be 90.12.00.4?

**Answer #4**

The basis of design is 90.12.00.4 by Irwin (Citation chair back, plastic seat pan with foam, open arm, inclined steel platform).

**Question #5**

Pg 13; 2.2.E.3 - Verify seat cushion to be foam or serpentine spring?

**Answer #5**

Correction to Seat Cushion Section 2.2-E-1. Delete Section 2.2-E-3 does not apply to this project.

**Question #6**

Pg 13; 2.2.H - If code will not accommodate 151 sq in writing tablet, will vendor be required to issue credit for smaller writing tablet that will meet code?

**Answer #6**

A large tablet has been specified (minimum of 150 square inches preferred) but if the final layout requires a smaller tablet size to meet minimum egress clearances, a credit is required.

**Question #7**

Pg 13; 2.2.1. Verify finish of row # plates

**Answer #7**

Row letter plates and seat number plates to be clear anodized aluminum finish with sans serif font in black.