

## ATTACHEMENT IV

### USC Goods and Services Abatement Contract - Definitions

ACM Floor Tile	Any vinyl floor tile which contains asbestos.
ACM Mastic	Any mastic which contains asbestos.
ACM Sheet Flooring	Resilient, semi flexible flooring which contains asbestos fiber reinforcing.
ACM TSI	Any Thermal system insulation which contains asbestos.
Glovebag	A sealed compartment with attached inner gloves which is used for handling asbestos containing materials, which measures 60 x 60 inch less.
Continuous Glovebag	A sealed compartment with attached inner gloves which is used for handling asbestos containing materials, which measures > 60 inches in length.
Fiberglass Line	Piping which is constructed of glass reinforced plastic
Transite TSI	Cementitious or fibrous thermal system insulation which contains asbestos
ACM Sheetrock	Sheetrock which contains asbestos.
ACM Joint compound	Joint compound which contains asbestos.
Plaster	Surface applied coating which generally consists of lime, gypsum, sand, water which contains asbestos fibers
Transite paneling	Hard, composite or cementitious asbestos containing paneling
ACM Soil removal	Removal of soil which contains asbestos.
ACM Soil Protection	Covering and containing soil.
ACM Fireproofing	Any fireproofing material which contains asbestos.
ACM Textured	Any surface applied texture material which contains asbestos.
Ceilings	Any surface applied texture material which contains asbestos.
Flashing	Impervious material that prevents water penetration which contains asbestos.
Shingle	Roof covering unit which contains asbestos
ACM Felt Paper	Paper sheathing which contains asbestos
Window Glazing	Strip of material which holds windows in place and may contain asbestos
Window Caulk	A rubber or silicone based compound which may contain asbestos
Exterior Texture	Any surface applied texture material which may contain asbestos.

#### Transite pipe

Cementitious asbestos containing pipe