# **Contract Documents and Specifications**

For

Mount Final Four Floor – Colonial Life Arena Suite and Trophy Display Renovation

For

University of South Carolina

Project # H27-Z362

January 18, 2018

# **TABLE OF CONTENTS**

Project Number: H27-Z362

Project Name: Mount Final Four Floor – Colonial Life Arena Suite and Trophy

**Display Renovation** 

Section 1	Number of Pages
Table of Contents	1
Invitation for Minor Construction Quotes, SE-311, 2016 Editional Edition	on 1
General Notes to Bidders	1
Standard Bid Quote, SE-331, 2018 Edition	1
USC Supplemental General Conditions for Construction Proje	ects 5
Contractor's One-Year Guarantee	1

# **Section 2 – Technical Specifications:**

All specifications and details are on the drawings.

### SE-311

# INVITATION FOR MINOR CONSTRUCTION QUOTES

PROJECT NAME: Mount Final Four Floor - Colonial Life PROJECT NUMBER: H27-Z362-A PROJECT LOCATION: Colonial Life Arena  BID SECURITY REQUIRED? Yes No PERFORMANCE BOND REQUIRED? Yes No PAYMENT BOND REQUIRED? Yes No DESCRIPTION OF PROJECT: Modify actual basketball f	<ul> <li></li></ul>	and mount on brick wall in			
PROJECT LOCATION: Colonial Life Arena  BID SECURITY REQUIRED?  PERFORMANCE BOND REQUIRED?  PAYMENT BOND REQUIRED?  Yes No  DESCRIPTION OF PROJECT: Modify actual basketball for the payment and the payment actual basketball for the payment actual bactual basketball for the payment actual basketball for the paymen	CONSTRUCTION COST RANGE:  loor from Women's 2017 National Championship  The only official site visit will be offered imi	and mount on brick wall in			
PROJECT LOCATION: Colonial Life Arena  BID SECURITY REQUIRED?  PERFORMANCE BOND REQUIRED?  PAYMENT BOND REQUIRED?  Yes No  DESCRIPTION OF PROJECT: Modify actual basketball for the payment and the payment actual basketball for the payment actual bactual basketball for the payment actual basketball for the paymen	CONSTRUCTION COST RANGE:  loor from Women's 2017 National Championship  The only official site visit will be offered imi	and mount on brick wall in			
PERFORMANCE BOND REQUIRED? Yes No PAYMENT BOND REQUIRED? Yes No DESCRIPTION OF PROJECT: Modify actual basketball for the part of the part	CONSTRUCTION COST RANGE:  loor from Women's 2017 National Championship  The only official site visit will be offered imi	and mount on brick wall in			
PERFORMANCE BOND REQUIRED? Yes No PAYMENT BOND REQUIRED? Yes No DESCRIPTION OF PROJECT: Modify actual basketball for the part of the part	CONSTRUCTION COST RANGE:  loor from Women's 2017 National Championship  The only official site visit will be offered imi	and mount on brick wall in			
PAYMENT BOND REQUIRED? Yes No DESCRIPTION OF PROJECT: Modify actual basketball f	CONSTRUCTION COST RANGE:  loor from Women's 2017 National Championship  The only official site visit will be offered imi	and mount on brick wall in			
DESCRIPTION OF PROJECT: Modify actual basketball f	loor from Women's 2017 National Championship  The only official site visit will be offered imi	and mount on brick wall in			
	s. The only official site visit will be offered imi				
meeting. Small and minority business participation is highly					
BIDDING DOCUMENTS/PLANS MAY BE OBTAINED	FROM: purchasing.sc.edu; Facilities/Constructi	on Solicitations/Awards			
PLAN DEPOSIT AMOUNT: \$ \$0.00	IS DEPOSIT REFUNDABLE Yes [	□ No □ N/A ⊠			
Bidders must obtain Bidding Documents/Plans from the above listed obtained from the above listed source(s) are official. Bidders rely on					
IN ADDITION TO THE ABOVE OFFICIAL SOURCE(S	S), BIDDING DOCUMENTS/PLANS ARE AL	SO AVAILABLE AT:			
N/A					
All .: 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					
All questions & correspondence concerning this Invitation shall be a A/E NAME: Goodwyn, Mills and Cawood Inc.	daressed to the A/E.				
A/E CONTACT: Marc Warren					
A/E ADDRESS: Street/PO Box:1320 Main Street, S	vita 200				
	State: <u>SC</u>	7ID: 20201			
EMAIL: marc.warren@gmcnetwork.com	State: SC	ZIF. <u>29201-</u>			
	FAX:				
TEDEM HOIVE: 003-724-1202	TAX.				
AGENCY: University of South Carolina					
AGENCY PROJECT COORDINATOR: Juaquana Brod	okins				
ADDRESS: Street/PO Box:1300 Pickens Street					
City: Cola	State: SC	<b>ZIP:</b> 29208-			
EMAIL: jbrookin@fmc.sc.edu					
<b>TELEPHONE:</b> 803-777-3596	<b>FAX:</b> 803-777-0484				
PRE-QUOTE CONFERENCE: Yes 🛛 No 🗌	MANDATORY ATTENDANCE:	Yes □ No ⊠			
PRE-QUOTE DATE: 1/30/2018 TIME: 10:					
QUOTE CLOSING DATE: 2/7/2018 TIME: 2:0					
QUOTE DELIVERY ADDRESSES:	-				
HAND-DELIVERY:	MAIL SERVICE:				
Attn: Juaquana Brookins	Attn: Juaquana Brookins	Attn: <u>Juaquana Brookins</u> 1300 Pickens St			
1300 Pickens St					
Columbia, SC 29208	Columbia, SC 29208				
APPROVED BY: (Agency Project Coordi					

#### 01/18/2018

GENERAL NOTES: Mount Final Four Floor - Colonial Life Arena Suite and Trophy Display Renovation

Base Bid: Bidder is not to include any lifts and/or scaffolding required for final install of the Final Four Floor onto the brick wall in the lobby.

Alternate 1: Bidder is to provide the cost of any lifts and/or scaffolding required for final install of the Final Four Floor onto the brick wall in the lobby.

### SE-331 QUOTE FORM

Quotes shall be submitted only on SE-331.

_							
Q	UOTE SUBMITTEI	BY:					
			(0	Offeror's Name)			
Q	UOTE SUBMITTEI	TO: Universi	ity of South Ca	rolina			
		<del></del>		Dwner's Name)			
	OR: PROJECT Nenovation	AME: Mount	Final Four Flo	oor - Colonial Li	fe Arena Suit	e and Trophy Display	
K		UMBER: <u>H27</u>	7-Z362				
_							
<u>O.</u>	FFER	8					
2.	included in the Solicitation and within the time frames	FFEROR proposes and to indicated in the Solid 030(1) of the SC Code	and agrees, if this Q perform all Work a citation and in acco de of Laws, as amer	uote is accepted, to en s specified or indicate dance with the other to	ter into a Contract in the Solicitation and condition	Bidders for the above-named t with the Owner in the form on Documents, for the prices a stated.  Bidders for the amount are the amount of the	
	☐ Bid Bond with Po	wer of Attorney	□ El	ectronic Bid Bond		Cashier's Check	
			(Bidder check	•			
3.	OFFEROR acknowledges Addenda into its Quote (Bio	the receipt of the fo lder, check only boxe	llowing Addenda to es that apply.):	the Solicitation docu	ments and has inc	corporated the effects of said	
	ADDENDA:	☐ #1	□ #2	☐ #3	☐ #4	☐ #5	
<b>4. 5</b> .	shall remain open for accep may agree to in writing upon OFFEROR agrees that from	tance for a period of a request of the Own a the compensation to I construction time etion, as provided in its its offer to prov	60 Days following the be paid, the Own- required to achieve the Contract Docuride all labor, mater	g the Quote Date, or for er shall retain as Liquic Substantial Completion nents.	or such longer per dated Damages the on exceeds the spe of trades and lab	ecified or adjusted Contract	
	6.1 BASE QUOTE \$						
	` -		(enter BASE Q	UOTE in figures only	)		
	6.1.1 ALTERNATE	NO.1 \$		to be ADDED	DEDUCTED (circle one)	from BASE QUOTE.	
	6.1.2 ALTERNATE	NO. 2 \$		to be ADDED /	DEDUCTED ( (circle one)	from BASE QUOTE.	
SC Contractor's License Number:				This Quote is hereby submitted on behalf of the Offeror named above.			
las	Classification(s) & Limits:			DV.			
vdd	ress:			SY:(Signature	of Offeror's Repr	resentative)	
Telephone:				(Print or Type Name of Offeror's Representative)			
E-mail: TITLE:			ITLE:				
			1				

# USC SUPPLEMENTAL GENERAL CONDITIONS FOR CONSTRUCTION PROJECTS

#### WORK AREAS

- 1. The Contractor shall maintain the job site in a safe manner at all times. This includes (but is not limited to) the provision and/or maintenance of lighting, fencing, barricades around obstructions, and safety and directional signage.
- 2. Contractor's employees shall take all reasonable means not to interrupt the flow of student traffic in building corridors, lobbies, stairs and exterior walks. All necessary and reasonable safety precautions shall be taken to prevent injury to building occupants while transporting materials and equipment through the work area. Providing safe, accessible, plywood-shielded pedestrian ways around construction may be required if a suitable alternative route is not available.
- 3. At the beginning of the project, the USC Project Manager will establish the Contractor's lay-down area. This area will also be used for the Contractor's work vehicles. The lay-down area will be clearly identified to the contractor by the Project Manager, with a sketch or drawing provided to USC Parking Services. In turn, Parking Services will mark off this area with a sign containing the project name, Project Manager's name, Contractor name and contact number, and end date. Where this area is subject to foot traffic, protective barriers will be provided as specified by the Project Manager. The area will be maintained in a neat and orderly fashion.
- 4. Work vehicles parked in the lay down area (or designated parking areas) will be clearly marked and display a USC-furnished placard for identification. No personal vehicles will be allowed in this area, or in any areas surrounding the construction site. Personal vehicles must be parked in the perimeter parking lots or garages. Temporary parking permits can be obtained at the Contractor's expense at the USC Parking Office located in the Pendleton Street parking garage. Refer to the CAMPUS VEHICLE EXPECTATIONS (below) for additional information.
- 5. Contractor is responsible for removal of all debris from the site, and is required to provide the necessary dumpsters which will be emptied on a regular basis. Construction waste must not be placed in University dumpsters. The construction site must be thoroughly cleaned with all trash picked up and properly disposed of on a daily basis and the site must be left in a safe and sanitary condition each day. The University will inspect job sites regularly and will fine any contractor found to be in violation of this requirement an amount of up to \$1,000 per violation.
- 6. Where it is necessary to jump curbs, dimensional lumber and plywood must be built up to appropriate curb elevation to protect curbs from damage. Contractor will be responsible for any project related damage.
- 7. The Contractor shall be responsible for erosion and sediment control measures where ground disturbances are made.

#### PROJECT FENCING

- 8. All construction projects with exterior impacts shall have construction fencing at the perimeter. Fencing shall be 6' chain link with black or green privacy fabric (80-90% blockage). For fence panels with footed stands, sandbag weights shall be placed on the inside of the fence. Ripped sandbags shall be replaced immediately.
- 9. For projects with long fencing runs and/or high profile locations, decorative USC banners shall be used on top of privacy fabric; banners should be used at a ratio of one banner for every five fence

M:\Facilities Resources\Procurement\Memos & Form Letters\USC Suppl Conditions Updated 04-2015.doc

- panels. USC Project Manager will make arrangements for banner delivery for Contractor to hang.
- 10. The use of plastic safety fencing is discouraged and shall only be used on a temporary basis (less than four weeks) where absolutely necessary. Safety fencing shall be a neon yellow-green, high-visibility fencing equal to 'Kryptonight' by Tenax. Safety fencing shall be erected and maintained in a neat and orderly fashion throughout the project.
- Vehicles and all other equipment shall be contained within a fenced area if they are on site for more than 3 consecutive calendar days.

#### **BEHAVIOR**

- 12. Fraternization between Contractor's employees and USC students, faculty or staff is strictly prohibited.
- 13. USC will not tolerate rude, abusive or degrading behavior on the job site. Heckling and cat-calling directed toward students, faculty or staff or any other person on USC property is strictly prohibited. Any contractor whose employees violate this requirement will be assessed a fine of up to \$500 per violation.
- 14. Contractor's employees must adhere to the University's policy of maintaining a drug-free and tobacco-free campus. Tobacco product trash that is found on the jobsite may result in a \$25/piece fee.

#### HAZARDOUS MATERIALS & SAFETY COMPLIANCE

- 15. A USC Permit to Work must be signed prior to any work being performed by the general contractor or sub-contractor(s).
- 16. The contractor will comply with all regulations set forth by OSHA, EPA and SCDHEC. Contractor must also adhere to USC's internal policies and procedures (available by request). Upon request, the contractor will submit all Safety Programs and Certificates of Insurance to the University for review.
- 17. Contractor must notify the University immediately upon the discovery of suspect material which may contain asbestos or other such hazardous materials. These materials must not be disturbed until approved by the USC Project Manager.
- 18. In the event of an OSHA inspection, the Contractor shall immediately call the Facilities Call Center, 803-777-4217, and report that an OSHA inspector is on site. An employee from USC's Safety Unit will arrive to assist in the inspection.

#### LANDSCAPE & TREE PROTECTION

- 19. In conjunction with the construction documents, the USC Arborist shall direct methods to minimize damage to campus trees. Tree protection fencing is required to protect existing trees and other landscape features to be affected by a construction project. The location of this fence will be evaluated for each situation with the USC Arborist, Landscape Architect and Project Manager. Tree protection fencing may be required along access routes as well as within the project area itself. Fence locations may have to be reset throughout the course of the project.
- 20. The tree protection fence shall be 6' high chain link fence with 80-90% privacy screening unless otherwise approved by USC Arborist and/or Landscape Architect. If the tree protection fence is completely within a screened jobsite fence perimeter, privacy fabric is not required. In-ground

M:\Facilities Resources\Procurement\Memos & Form Letters\USC Suppl Conditions Updated 04-2015.doc

fence posts are preferred in most situations for greater protection. If utility or pavement conflicts are present, fence panels in footed stands are acceptable. See attached detail for typical tree protection fencing.

- 21. No entry, vehicle parking, or materials storage will be allowed inside the tree protection zone. A 4" layer of mulch shall be placed over the tree protection area to maintain moisture in the root zone.
- Where it is necessary to cross walks, tree root zones (i.e., under canopy) or lawns the following protective measures shall be taken:
  - a. For single loads up to 9,000 lbs., a 3/4" minimum plywood base shall be placed over 4" of mulch.
  - b. For single loads over 9,000 lbs., two layers of 3/4" plywood shall be placed over 4" of mulch.
  - c. Plywood sheets shall be replaced as they deteriorate or delaminate with exposure.
  - d. For projects requiring heavier loads, a construction entry road consisting of 10' X 16' oak logging mats on 12" coarse, chipped, hardwood base. Mulch and logging mats shall be supplemented throughout the project to keep matting structurally functional.
- Damage to any trees during construction shall be assessed by the USC Arborist, who will stipulate what action will be taken for remediation of damage. The cost of any and all remediation will be assumed by the contractor at no additional cost to the project. Compensation for damages may be assessed up to \$500 per caliper inch of tree (up to 8") and \$500 per inch of diameter at breast height (for trees over 8").
- 24. Damage to trunks and limbs, as well as disturbance of the root zone under the dripline of tree, including compaction of soil, cutting or filling, or storage of materials, shall qualify as damage and subject to remediation.
- 25. Any damage to existing pavements or landscaping (including lawn areas and irrigation) will be remediated before final payment is made.

#### **TEMPORARY FACILITIES**

- 26. Contractor will be responsible for providing its own temporary toilet facilities, unless prior arrangements are made with the USC Project Manager.
- 27. Contractor must provide its own electrical power supply. Water may be available to the extent of existing sources. Any needed or desired taps, connections, or metering devices, shall be at the sole expense of the contractor.
- 28. Use of USC communications facilities (telephones, computers, etc.) by the Contractor is prohibited, unless prior arrangements are made with the USC Project Manager.

#### CAMPUS KEYS

29. Contractor must sign a Contractor Key Receipt/Return form before any keys are issued. Keys must be returned immediately upon the completion of the work. The Contractor will bear the cost of any re-keying necessary due to the loss of or failure to return keys.

#### WELDING

30. A welding (hot work) permit must be issued by the University Fire Marshall before any welding can begin inside a building. The USC Project Manager will coordinate.

M:\Facilities Resources\Procurement\Memos & Form Letters\USC Suppl Conditions Updated 04-2015.doc

#### PROJECT EVALUATION & CLOSE-OUT


- 31. For all projects over \$100,000, including IDCs, a Contractor Performance Evaluation (SE 397) will be reviewed with the GC at the beginning of the project and a copy given to the GC. At the end of the project the form will be completed by the USC Project Manager and a Construction Performance rating will be established.
- 32. Contractor must provide all O&M manuals, as-built drawings, and training of USC personnel on new equipment, controls, etc. prior to Substantial Completion. Final payment will not be made until this is completed.

#### CAMPUS VEHICLE EXPECTATIONS

- Personal vehicles must be parked in the perimeter parking lots or garages. Temporary parking permits can be obtained at the Contractor's expense at the USC Parking Office located in the Pendleton Street parking garage.
- 34. All motorized vehicle traffic on USC walkways and landscape areas must be approved by the USC Project Manager and Parking Division, have a USC parking placard, and be parked within the approved laydown area. Violators may be subject to ticketing, towing and fines.
- 35. All motorized vehicles that leak or drip liquids are prohibited from traveling or parking on walks or landscaped areas.
- 36. Drivers of equipment or motor vehicles that damage university hardscape or landscape will be held responsible for damages and restoration expense.
- 37. All vehicles parked on landscape, hardscape, or in the process of service delivery, must display adequate safety devices, i.e. flashing lights, cones, signage, etc.
- 38. All drivers of equipment and vehicles shall be respectful of University landscape, equipment, structures, fixtures and signage.
- 39. All incidents of property damage shall be reported to Parking Services or the Work Management Center.

PROTECTION FENCING (IN-GROUND) WITH SCREENING

TREE



NOTES:

- PROVIDE PROTECTION FENCING FOR ALL TREES WITHIN AREA OF DISTURBANCE AND CONSTRUCTION ACCESS.
- 2. PROTECTION FENCING SHALL BE IN PLACE PRIOR TO BEGINNING CONSTRUCTION.
- 3. PROTECTION FENCING TO BE PLACED AT THE OUTSIDE OF THE CANOPY DRIPLINE, OR AT A DISTANCE OF ONE FOOT PER ONE INCH OF TREE DIAMETER, MEASURED AT BREAST HEIGHT, WHICHEVER IS LARGER, UNLESS OTHERWISE INDICATED ON ARBORIST.
- 4. IN-GROUND POSTS ARE STANDARD. IF EXISTING ROOTS, UTILITIES OR PAVEMENT PRECLUDE USE OF IN-GROUND POSTS, FOOTED STANDS ARE ACCEPTABLE. SAND BAGS SHALL BE PLACED ON THE INSIDE OF FENCE.
- 5. DAMAGE TO ANY TREES DURING CONSTRUCTION SHALL BE ASSESSED BY UNIVERSITY ARBORIST AND THE UNIVERSITY ARBORIST SHALL STIPULATE WHAT ACTION WILL BE TAKEN FOR REMEDIATION OF DAMAGE. THE COST OF ANY AND ALL REMEDIATION WILL BE ASSUMED BY CONTRACTOR AT NO ADDITIONAL COST TO THE PROJECT.
- 6. DISTURBANCE OF ROOT ZONE UNDER DRIPLINE OF TREE, INCLUDING COMPACTION OF SOIL, CUTTING OR FILLING OR STORAGE OF MATERIALS SHALL QUALIFY AS DAMAGE AND SUBJECT TO REMEDIATION.

Project Name: Mount Final Four Floor – Colonial Life Arena Suite and Trophy Display Renovation

Project Number: H27-Z362

University of South Carolina

# CONTRACTOR'S ONE YEAR GUARANTEE

STATE OF
COUNTY OF
WE
as General Contractor on the above-named project, do hereby guarantee that all work executed under the requirements of the Contract Documents shall be free from defects due to faulty materials and /or workmanship for a period of one (1) year from date of acceptance of the work by the Owner and/or Architect/Engineer; and hereby agree to remedy defects due to faulty materials and/or workmanship, and pay for any damage resulting wherefrom, at no cost to the Owner, provided; however, that the following are excluded from this guarantee;
Defects or failures resulting from abuse by Owner.
Damage caused by fire, tornado, hail, hurricane, acts of God, wars, riots, or civil commotion.
[Name of Contracting Firm]
*By
Title
*Must be executed by an office of the Contracting Firm.
SWORN TO before me this day of, 2 (seal)
State
My commission expires