



UNIVERSITY OF
SOUTH CAROLINA

Amendment NO. 4

TO: ALL VENDORS

FROM: Dennis Gallman

SUBJECT: USC-IFB-3548-DG/ Furnish, Deliver and Install Exercise Equipment

DATE: November 12, 2019

This Amendment No. 4 modifies the IFB only in the manner and to the extent as stated herein.

ITEM ONE: DELETE SECTION: VIII. BIDDING SCHEDULE / PRICE-BUSINESS PROPOSAL (REVISION 2)

INCORPORATE SECTION: VIII. REVISED BIDDING SCHEDULE / PRICE-BUSINESS PROPOSAL (REVISION 3)
INCLUDES TRADE-IN EQUIPMENT SCHEDULE, PREFERENCES, TOTAL PRICE FOR TRADE-
IN EQUIPMENT, TOTAL OF LOT A LESS TRADE-IN -AMOUNT, etc.

BIDDER SHALL ACKNOWLEDGE RECEIPT OF AMENDMENT NO. 4 IN THE SPACE PROVIDED BELOW AND RETURN IT **WITH THEIR BID RESPONSE**. FAILURE TO DO SO MAY SUBJECT BID TO REJECTION.

Authorized Signature

Firm

Date

VIII. BIDDING SCHEDULE / PRICE-BUSINESS PROPOSAL (REVISION 3)

LOT A:

Bid Only as Specified

Specifications

ITEM 001: Dynamic Fitness Ultra Pro G2 Half Racks- DFS-700102

Dimensions: 75"x95"x64"; Product Weight: 550lbs.

Description: The Half Racks MUST have a 5" x 3' Steel Frame and 3/4" Steel Locking Pins. The Racks MUST be manufactured with 7 Gauge Metal. The Racks MUST have Powder Coated Wrap with 2' Incremental Adjustments for J-Cups and Safeties. The Racks MUST have Laser Cut Numbering on wraps and have Laser Cut Logo/Branding in Powder Coated Upright Wrap. The Racks MUST have Notch Lock J-Cups and Safety Arms. The Racks MUST have (12) Adjustable, Tapered Weight Pegs to eliminate plates from sliding off. The Racks MUST have Vertical Bar Storage for (4) Bars. The Racks MUST have Variable Grip Chin-up Bar WITH 2" Ball Grip Pullup on the Back. The Racks MUST be assembled with Grade 5 Carriage Bolts. The Racks MUST have Custom Frame Color. The Racks MUST have (2) sandwich style J-cup with elevated UHMW channel and MUST have UHMW on all touch points to eliminate metal on metal contact. The Racks MUST have (4) 28" Safety Catches.

ITEM 002: Dynamic Fitness Ultra Pro G2 DOUBLE Half Racks- DFS-700106SB

Dimensions: 75"x95"x60"; Product Weight: 950lbs.

Description: The Racks MUST be Short Base Version: 60" L, or less, total length to fit spacing in facility. The Racks MUST have 5" x 3" and be manufactured with 7 Gauge Metal. The Racks MUST have 3/4" Steel Locking Pins. The Racks MUST have Powder Coated Wrap with 2" Incremental Adjustments for J-Cups and Safeties. The Racks MUST have Laser Cut Numbering on wraps and have Laser Cut Logo/Branding in Powder Coated Upright Wrap. The Racks MUST have Notch Lock J-Cups and Safety Arms and (12) Adjustable, Tapered Weight Pegs to eliminate plates from sliding off. The Racks MUST have Hanging Bar Storage for (4) Bars. The Racks MUST have (2) Variable Grip Chin-up Bars WITH 2" Ball Grip Pullup on the Back. The Racks MUST be Assembled with Grade 5 Carriage Bolts. The Racks MUST have custom Frame color. The Racks MUST have (4) sandwich style J-Cup with elevated UHMW channel and have UHMW on all touch points to eliminate metal on metal contact. The Racks MUST have (4) 28" Safety Catches.

ITEM 003: Dynamic Fitness Custom Stand-up Adjustable Bench w/ Spotter Stand- DFS-709060SS

Dimensions: 25"x20"x60"; Product Weight: 150lbs.

Description: The Benches MUST have (5) Seat Back Positions – 0-85deg and (3) Seat height adjustments. The Bench MUST have built- in Spotter Platforms. The Benches MUST have Metal Kick Stand to Store Bench Vertically. The Benches MUST have extra wide 12" pad and have a 3" x 3" 11-Gauge tube frame. The Benches MUST have handle and (2) wheels for easy rolling. The Benches MUST have dual powder coated adjustment plates and protective rubber feet for non-slip. The Benches MUST have custom USC logo on 10" slipcover/ wear guard along with custom frame color, gloss or textured powered coat finish.

ITEM 004: Bench Slipcover/ Wear Guard with Printed Logo- ATF-HCIJ/HCS

Description: The Cover MUST be 10" Tall and have an elastic back to fit any size bench. The Cover MUST have USC, Multi-colored logo printed on slipcover upholstery. The Cover MUST be upholstery material, no plastic wear guard.

ITEM 005: Dynamic Fitness Ultra Pro Custom Rack Connector w/ TRX Bar & Logo - DFS-XM71BP-0005-LOGO

Dimensions: 71" Length x 12" Tall x 5" Deep with 1" Single Suspension Training / Pullup Bar"

Description: This rack connector MUST have the ability to connect racks horizontally at the top of the rack. The Connector MUST be 6' TRX compatible connecting braces. The Connectors MUST have double panel logo with laser cut lettering/logo and solid colored backer plate. The Connectors MUST have 1" single bar out front for suspension training and/or pullups.

ITEM 006: Dynamic Fitness Single Bar Rack Connector- DFS-XM71BP-0004

Dimensions: 71" Length x 1" Thick.

Description: The Connector MUST have the ability to connect racks horizontally at the top of the rack. The connector MUST be 6' TRX compatible connecting braces.

ITEM 007: UMAX U2 Urethane Encased Olympic Weights (2.5 lbs.)- UM-U2OP002

Description: The Weights MUST be EZ-Grip design and encased in Thermal Polyurethane (TPU). The weight MUST have a metal core breakage warranty of 3 years and have Polyurethane breakage warranty of 3 years. The weight MUST have custom logo.

ITEM 0008: UMAX U2 Urethane Encased Olympic Weights(5lbs.)- UM-U2OP005

Description: The Weights MUST be EZ-Grip design and encased in Thermal Polyurethane (TPU). The weight MUST have a metal core breakage warranty of 3 years and have Polyurethane breakage warranty of 3 years. The weight MUST have custom logo.

ITEM 0009: UMAX U2 Urethane Encased Olympic Weights(10lbs.)- UM-U2OP010

Description: The Weights MUST be EZ-Grip design and encased in Thermal Polyurethane (TPU). The weight MUST have a metal core breakage warranty of 3 years and have Polyurethane breakage warranty of 3 years. The weight MUST have custom logo.

ITEM 0010: UMAX U2 Urethane Encased Olympic Weights(25lbs.)- UM-U2OP025

Description: The Weights MUST be EZ-Grip design and encased in Thermal Polyurethane (TPU). The weight MUST have a metal core breakage warranty of 3 years and have Polyurethane breakage warranty of 3 years. The weight MUST have custom logo.

ITEM 0011: UMAX U2 Urethane Encased Olympic Weights(45lbs.)- UM-U2OP045

Description: The Weights MUST be EZ-Grip design and encased in Thermal Polyurethane (TPU). The weight MUST have a metal core breakage warranty of 3 years and have Polyurethane breakage warranty of 3 years. The weight MUST have custom logo.

ITEM 0012: Needle Bearing Olympic Bar- HM-20KG-NBOLB-BRT

Description: The bar MUST be 20kg and have 28mm diameter Bright Zinc shaft. The bar MUST have minimum tensile strength of 190k. The bar MUST have medium knurling with NO center Knurling. The bar MUST have (10) precision needle bearings and Olympic marks only. The bar MUST have custom USC logo engraved on end caps and carry a lifetime warranty, with proper use and cleaning.

ITEM 0013: 20KG Olympic Bar- HM-20KG-OLY-BLK

Description: The Bar MUST be 20kg and have 28.5mm diameter black zinc shaft. The bar MUST have minimum tensile strength of 190K. The bar MUST have medium knurling with NO center knurling. The Bar MUST have Olympic and powerlifting marks. The bar MUST have dual oilite bronze bushings and dual snap ring design. The bar MUST have 16.5" loadable bar ends. The Bar MUST have custom USC logo engraved on end caps. The Bar MUST have a lifetime warranty, with proper use and cleaning.

ITEM 0014: 20KG, deep Knurl Power Bar – 2000lb Test- HM-20KG-AGGPB

Description: The Bar MUST be 20kg and have 28.5mm diameter bright zinc shaft. The Bar MUST have minimum tensile strength of 190k and tested to 2,000lb static load. The Bar MUST have deep, aggressive knurling and dual snap ring design. The bar MUST have 16.5" loadable bar ends. The Bar MUST have custom USC logo engraved on end caps. The Bar MUST carry a lifetime warranty, with proper use and cleaning.

ITEM 0015: Texas Deadlift Bar- CAPPS-TDB

Description: The Bar MUST be 45lbs in total weight and have 27mm diameter black zinc shaft. The bar MUST be 7.5'/91' in total length and have a capacity of 1,500lbs. The bar MUST have 14.5" loadable bar ends and aggressive knurling with no center knurl. The bar MUST have lifetime warranty on materials and workmanship.

ITEM 0016: Dynamic Fitness Stand Alone Olympic Platforms- DFS-PLTSA483-LOGO

Description: The Platforms MUST be 8' x 4" x 3" Thick. The platform MUST have wood center with custom USC logo. The platform MUST have metal frame around perimeter of platform and have 2'x4' rubber drop zones.

ITEM 0017: Dynamic Fitness Annex Bumper Plate Storage- DFS-ANX71BP-99

Description: The storage MUST be able to connect between rack storage uprights. The storage MUST be 71" in length and have slots to separate 45lb, 25lb and 10lb bumper plates.

ITEM 0018: Custom Colored Competition Style Bumper Plates(10lbs.)- DFS-PLBP10COMPUB

Description: The (Grey) Plate MUST be a urethane competition bumper plate. The plate MUST have plate diameter of 450mm/17.2"- IWF standard. The plate MUST have collar diameter of 50.4mm/1.98". The plate MUST have a weight tolerance of 0.3% of claimed weight.

ITEM 0019: Custom Colored Competition Style Bumper Plates(25lbs.)- FP-25CCOMP/LOGO

Description: The (Green) plate MUST be rubber competition bumper plate. The plate MUST have plate diameter of 450mm/17.2"- IWF standard. The plate MUST have collar diameter of 50.4mm/1.98". The plate MUST have a weight tolerance of 0.3% of claimed weight.

ITEM 0020: Custom Colored Competition Style Bumper Plates(45lbs.)- FP-10CUCOMP/LOGO

Description: The (Blue) plate MUST be rubber competition bumper plate. The plate MUST have plate diameter of 450mm/17.2"- IWF standard. The plate MUST have collar diameter of 50.4mm/1.98". The plate MUST have a weight tolerance of 0.3% of claimed weight.

LOT A: LINE ITEMS 0001-0022 (REVISION 3)

LINE ITEM	COMMODITY/SERVICE DESC		U/M	MFG	MODEL	UNIT PRICE	EXTENDED PRICE
0001	DFS-700102 (Dynamic Fitness Ultra Pro G2 Half Racks)	7	each	Dynamic Fitness	DFS-700102		
0002	DFS-700106SB (Dynamic Fitness Ultra Pro G2 DOUBLE Half Racks – Short Base)	7	each	Dynamic Fitness	DFS-700106SB		
0003	DFS-709060SS (Dynamic Fitness Custom Stand-up Adjustable Bench w/ Spotter Stand)	14	each	Dynamic Fitness	DFS-709060SS		
0004	ATF-HCIJ/HCS (Bench Slipcover / Wear Guard with Printed Logo)	14	each	Dynamic Fitness	ATF-HCIJ/HCS		
0005	DFS-XM71BP-0005-LOGO (Dynamic Fitness Ultra Pro Custom Rack Connector w/ TRX Bar & Logo)	6	each	Dynamic Fitness	DFS-XM71BP-0005-LOGO		
0006	DFS-XM71BP-0004 (Dynamic Fitness Single Bar Rack Connector)	12	each	Dynamic Fitness	DFS-XM71BP-0004		
0007	UM-U2OP002 (UMAX U2 Urethane Encased Olympic Weights)	42	each	UMAX	UM-U2OP002		
0008	UM-U2OP005 (UMAX U2 Urethane Encased Olympic Weights)	42	each	UMAX	UM-U2OP005		
0009	UM-U2OP010 (UMAX U2 Urethane Encased Olympic Weights)	84	each	UMAX	UM-U2OP010		
0010	UM-U2OP025 (UMAX U2 Urethane Encased Olympic Weights)	42	each	UMAX	UM-U2OP025		
0011	UM-U2OP045 (UMAX U2 Urethane Encased Olympic Weights)	126	each	UMAX	UM-U2OP045		
0012	HM-20KG-NBOLB-BRT (Needle Bearing Olympic Bar)	7	each	Advantage S&F	HM-20KG-NBOLB-BRT		
0013	HM-20KG-OLY-BLK (20KG Olympic Bar)	14	each	Advantage S&F	HM-20KG-OLY-BLK		
0014	HM-20KG-AGGPB (20KG, deep Knurl Power Bar – 2000lb Test)	7	each	Advantage S&F	HM-20KG-AGGPB		

0015	CAPPS-TDB (Texas Deadlift Bar)	7	each	Advantage S&F	CAPPS-TDB		
0016	DFS-PLTSA483-LOGO (Dynamic Fitness Stand Alone Olympic Platforms)	7	each	Dynamic Fitness	DFS-PLTSA483-LOGO		
0017	DFS-ANX71BP-99 (Dynamic Fitness Annex Bumper Plate Storage)	6	each	Dynamic Fitness	DFS-ANX71BP-99		
0018	DFS-PLBP10COMPUB (Custom Colored Competition Style Bumper Plates)	24	each	Advantage S&F	DFS-PLBP10COMPUB		
0019	FP-25CCOMP/LOGO (Custom Colored Competition Style Bumper Plates)	24	each	Advantage S&F	FP-25CCOMP/LOGO		
0020	FP-10CUCOMP/LOGO (Custom Colored Competition Style Bumper Plates)	42	each	Advantage S&F	FP-10CUCOMP/LOGO		
0021	Freight	1	Lot				
0022	Installation	1	Lot				
TOTAL ACCUMULATIVE PRICE LOT A							\$

FOR LINE ITEMS 0001-0020

Resident Vendor Preference _____
 SC End Product Preference _____
 US End Product Preference _____

FOR LINE ITEMS 0021-0022

Resident Contractor Preference _____
 Resident Sub-Contractor Preference (2%) _____ Number of Sub-Contractors _____
 Resident Sub-Contractor Preference (4%) _____ Number of Sub-Contractors _____

NOTE: The commodity preferences do not apply to a single unit of an item with a price in excess of \$50,000 or a single award with a total potential value in excess of \$500,000. [11-35-1524(E)(2)] Please refer to the preference clauses listed in the terms and conditions of this solicitation to ensure that you qualify to select the above preferences.

Note: The service preferences do not apply to a bid for an item of work by the bidder if the annual price of the bidder's work exceeds \$50,000 or the total potential price of the bidder's work exceeds \$500,000. [11-35-1524(E)(3)]

Please refer to the preference clauses listed in the terms and conditions of this solicitation to ensure that you qualify to select the above preferences.

Bidder is to submit the following for preferences requested above:

- 1) Identify the subcontractor to perform the work:
- 2) Identify the work the subcontractor is to perform:
- 3) Bidder's factual basis for concluding that the subcontractor's work constitutes the required percentage of the work to be performed in the procurement.

Bidder must provide a cost to purchase all trade- in- equipment

TRADE-IN-EQUIPMENT SCHEDULE

Year Purchased	Make	Model	Name of Machine	Condition
2010	Strive	s-127	Diverging Lat Pulldown	Active and working
2010	Strive	s-117	Arm Extension	Active and working
2010	Strive	s-120	Incline Press	Active and working
2010	Strive	s-109	Abdominal Crunch	Active and working
2010	Strive	s-101	Arm Curl	Active and working
2012	Keiser	Air250	Biaxial Chest Press	Active and working
2012	Keiser	Air250	Leg extension	Active and working
2012	Keiser	Air250	Leg curl	Active and working
2012	Keiser	Air250	Functional Trainer	Active and working
2012	Keiser	Air250	Biaxial Upper Back	Active and working
2012	Keiser	Air250	Squat	Active and working
2012	Keiser	Air250	Leg Press	Active and working
2012	Keiser	Air250	Tricep	Active and working
2012	Keiser	Air250	Arm Curl	Active and working
2012	Keiser	Air250	Seated Calf	Active and working
2012	Keiser	Air250	Runner	Active and working
2010	Cybex	1219-90	Torso Rotation	Active and working
2010	PowerLift	Collegiate Dumbbell Bench	Bench	working. Upholstery ripped

2010	PowerLift	Back Extension	Back extension	working. Upholstery ripped
2012	SPS	Ext3	Ab crunch	Active and working
2010	Octane	X-Ride	Seated Elliptical	Needs repair
2012	True Fitness	CS800	Upright Bike	Needs foot pedal
2012	True Fitness	CS800	Upright Bike	Needs arm crank

Total Cost for trade- in equipment \$ _____

The University of South Carolina will require the extraction of the trade in equipment before installation of the new equipment (Lot A)

Total cost lot A less trade in amount: \$ _____