

Molten Salt Thermodynamic Database-Thermochemical (*MSTDB-TC*)

GitLab Documentation

Version 1.3

May 2022

MSTDB-TC in its entirety is copyrighted by the University of South Carolina

Use the following references when citing *MSDTB-TC*

J.C. Ard, J.A. Yingling, K.E. Johnson, J. Schorne-Pinto, M. Aziziha, C.M. Dixon, et al. *Development of the Molten Salt Thermal Properties Database – Thermochemical (MSTDB–TC), example applications, and LiCl–RbCl and UF₃–UF₄ system assessments*. J. Nucl. Mat. 2022. 563: 153631.
<https://doi.org/10.1016/j.jnucmat.2022.153631>.

Developing Practical Models of Complex Salts for Molten Salt Reactors. Besmann, T.M. Schorne-Pinto, J., Thermo, 1 168–178 (2021). <https://doi.org/10.3390/thermo1020012>



1. Introduction

The Molten Salt Thermal Properties Database-Thermochemical (*MSTDB-TC*) is a publicly available database of thermodynamic models and values for fluoride and chloride molten salt components and related systems of interest with respect to molten salt reactor technology. These include fuel or coolant salts, consequential fission product and transuranic elements, contaminants such as air and moisture, and likely corrosion product elements such as iron, nickel and chromium. Phases include gas/vapor, liquids (e.g., molten salts, noble metals), and solid compounds. Solutions include the fluoride-based and chloride-based liquid melts as well as several solid solutions. The database was developed in the ChemSage .dat format using the FactSage® commercial package and compatible with the open-source equilibrium code Thermochemica.

The models and values provided within *MSTDB-TC* are obtained through combinations of literature-reported information, first principles calculations, and experimental measurements. These have been used to a greater or lesser extent as needed in assessments for pseudo-binary, pseudo-ternary, and higher order systems. A system is said to be assessed when sufficient experimental and theoretical data are available to optimize adjustable thermochemical values and parameters for each model and species to represent each phase in that system. In essence, a system is assessed when models and values appropriately reproduce available phase equilibria (phase diagram) and attendant values such as heat capacity, enthalpy of mixing, and vapor pressures.

Maintaining consistency of pure compound thermodynamic values throughout the database is vital. Pure compound values provide the foundation from which solutions are modeled. As each compound in the solution can be a part of multiple different subsystems, the underlying pure compound values need to be the same across all solutions. In order to accomplish this, a single set of thermodynamic values need to be selected for each compound, which is used for all subsequent solutions. An effort has been made to select the best available thermodynamic values for pure compounds, as any need to change the values in the future may require a substantial re-assessment effort of all affected systems. Due to differences in pure compound values between different publications and those selected for the *MSTDB-TC*, it often became necessary to perform re-assessments of published solution models before being added to the database. If the pure compound values did not differ greatly, the re-assessment could be slight, or even unnecessary.

A note of caution: It is possible to perform thermodynamic equilibrium calculation with FactSage, Thermochemica, or other software using *MSTDB-TC* for salt melts that contain multiple cations. While the calculations may run smoothly, the results might not be accurate as the specific combination of the salt cations for the halide melt may not have been assessed and therefore known to reproduce observed behavior. The user is advised to check the listing of *MSTDB-TC* systems to be assured that their system of interest has been included.

2. Database Contents

The *MSTDB-TC* has been prepared for public release through the code.ornl GitLab repository hosted by Oak Ridge National Laboratory. The repository includes the following files for the latest version of the *MSTDB-TC*:

- The database .dat files in standard ChemSage ASCII format, which contain all compounds and solutions of the *MSTDB-TC* for the fluoride- and chloride-based systems, respectively (denoted by Fluorides or Chlorides in .dat file name). Separate sets of .dat files provided for compatibility with different software and versions:
 - FactSage 8.1 compatible .dat files end in *_8-1.dat
 - Generated in FactSage 8.1 with “include functions” selected.

- FactSage 8.0 (and earlier) as well as most other software compatible .dat files end in *_8-0.dat
 - Generated in FactSage 8.1 with “include functions” not selected.
- Documentation Excel files (data packages) provided for each subsystem, which are intended to make information easily traceable to original sources. The data packages provide an account of all pure compounds, liquid solutions and solid solutions used in modeling the subsystem with linked references. Modeling parameters from newly performed work are also reported in the data package along with any applicable references.
- An Excel file containing the thermodynamic values used for all pure compounds of the *MSTDB* along with linked references.
- A pair of pdfs of all modeled pseudo-binary and pseudo-ternary phase diagrams for the fluoride- and chloride-based systems, respectively (denoted by Fluorides or Chlorides in pdf file name). Calculated diagrams in pdf are calculated using the current *MSTDB-TC* version alongside available published phase diagrams (with references). Used as part of internal Quality Assurance (QA) effort.
- Readme files in the code.ornl readable format for each of the major directories of the repository. These files provide details and explanation of the files contained within each major directory.

The remaining sections list the modeled systems and solid solutions within the *MSTDB-TC*.

2.1 Pseudo-binary Systems

Fluorides

- | | | | |
|--------------------------------------|--------------------------------------|-------------------------|--------------------------------------|
| • BeF ₂ -KF | • CeF ₃ -LiF | • KF-NiF ₂ | • LiF-UF ₃ |
| • BeF ₂ -LiF | • CeF ₃ -NaF | • KF-RbF | • LiF-UF ₄ |
| • BeF ₂ -NaF | • CeF ₃ -ThF ₄ | • KF-UF ₄ | • NaF-NdF ₃ |
| • BeF ₂ -PuF ₃ | • CsF-KF | • LaF ₃ -LiF | • NaF-NiF ₂ |
| • BeF ₂ -ThF ₄ | • CsF-LiF | • LaF ₃ -NaF | • NaF-RbF |
| • BeF ₂ -UF ₄ | • CsF-NaF | • LaF ₃ -RbF | • NaF-ThF ₄ |
| • CaF ₂ -BeF ₂ | • CsF-RbF | • LiF-NaF | • NaF-UF ₃ |
| • CaF ₂ -KF | • CsF-ThF ₄ | • LiF-NdF ₃ | • NaF-UF ₄ |
| • CaF ₂ -LaF ₃ | • CsF-UF ₃ | • LiF-NiF ₂ | • PuF ₃ -ThF ₄ |
| • CaF ₂ -LiF | • KF-LaF ₃ | • LiF-PuF ₃ | • PuF ₃ -UF ₄ |
| • CaF ₂ -NaF | • KF-LiF | • LiF-RbF | • ThF ₄ -UF ₄ |
| • CaF ₂ -ThF ₄ | • KF-NaF | • LiF-ThF ₄ | • UF ₃ -UF ₄ |

Chlorides

- | | | | |
|--|--|--|--|
| • AlCl ₃ -KCl | • CeCl ₃ -LiCl | • FeCl ₂ -MgCl ₂ | • LiCl-UCl ₃ |
| • AlCl ₃ -LiCl | • CeCl ₃ -MgCl ₂ | • FeCl ₂ -NaCl | • MgCl ₂ -NaCl |
| • AlCl ₃ -MgCl ₂ | • CeCl ₃ -NaCl | • KCl-LiCl | • MgCl ₂ -NiCl ₂ |
| • AlCl ₃ -NaCl | • CrCl ₂ -KCl | • KCl-MgCl ₂ | • MgCl ₂ -RbCl |
| • CaCl ₂ -CeCl ₃ | • CrCl ₂ -NaCl | • KCl-NaCl | • Mg-MgCl ₂ |
| • CaCl ₂ -CsCl | • CsCl-KCl | • KCl-NiCl ₂ | • NaCl-NiCl ₂ |
| • CaCl ₂ -KCl | • CsCl-LiCl | • KCl-RbCl | • NaCl-RbCl |
| • CaCl ₂ -LiCl | • CsCl-NaCl | • KCl-UCl ₃ | • NaCl-UCl ₃ |
| • CaCl ₂ -MgCl ₂ | • CsCl-PuCl ₃ | • K-KCl | • PuCl ₃ -RbCl |
| • CaCl ₂ -NaCl | • CsCl-RbCl | • LiCl-MgCl ₂ | |
| • CaCl ₂ -RbCl | • FeCl ₂ -FeCl ₃ | • LiCl-NaCl | |
| • CeCl ₃ -KCl | • FeCl ₂ -KCl | • LiCl-RbCl | |

2.2 Pseudo-ternary Systems

Fluorides

- $\text{BeF}_2\text{-LiF-PuF}_3$
- $\text{BeF}_2\text{-LiF-ThF}_4$
- $\text{BeF}_2\text{-LiF-UF}_4$
- $\text{BeF}_2\text{-NaF-PuF}_3$
- $\text{BeF}_2\text{-NaF-UF}_4$
- $\text{BeF}_2\text{-ThF}_4\text{-UF}_4$
- $\text{CaF}_2\text{-KF-LiF}$
- $\text{CaF}_2\text{-KF-NaF}$
- $\text{CaF}_2\text{-LaF}_3\text{-LiF}$
- $\text{CaF}_2\text{-LaF}_3\text{-NaF}$
- $\text{CaF}_2\text{-LiF-ThF}_4$
- $\text{CeF}_3\text{-LiF-NaF}$
- CsF-KF-LiF
- KF-LiF-NaF
- KF-LiF-RbF
- $\text{LaF}_3\text{-LiF-NaF}$
- LiF-NaF-PuF_3
- LiF-NaF-RbF
- LiF-NaF-ThF_4
- LiF-NaF-UF_4
- $\text{LiF-PuF}_3\text{-ThF}_4$
- $\text{LiF-PuF}_3\text{-UF}_4$
- $\text{LiF-ThF}_4\text{-UF}_4$
- $\text{NaF-ThF}_4\text{-UF}_4$

Chlorides

- $\text{AlCl}_3\text{-KCl-LiCl}$
- $\text{AlCl}_3\text{-KCl-NaCl}$
- $\text{AlCl}_3\text{-LiCl-NaCl}$
- $\text{CaCl}_2\text{-CeCl}_3\text{-LiCl}$
- $\text{CaCl}_2\text{-CeCl}_3\text{-MgCl}_2$
- $\text{CaCl}_2\text{-CeCl}_3\text{-NaCl}$
- $\text{CeCl}_3\text{-KCl-LiCl}$
- $\text{CeCl}_3\text{-KCl-MgCl}_2$
- $\text{CeCl}_3\text{-KCl-NaCl}$
- $\text{CeCl}_3\text{-LiCl-MgCl}_2$
- LiCl-KCl-UCl_3

2.3 Solid Solutions

Fluorides

- $\text{SSaa} = (\text{Li, Na})_7\text{Th}_6\text{F}_{31}$
- $\text{SSab} = (\text{Pu, Th})\text{F}_x$
- $\text{SSac} = \text{Li}(\text{Th, U})_4\text{F}_{17}$
- $\text{SSad} = \text{Li}(\text{Th, U})_2\text{F}_9$
- $\text{SSae} = \text{Li}_7(\text{Th, U})_6\text{F}_{31}$
- $\text{SSaf} = \text{Li}_3(\text{Th, U})\text{F}_7$
- $\text{SSag} = \text{Na}_2(\text{Th, U})\text{F}_6$
- $\text{SSah} = \text{Na}_7(\text{Th, U})_6\text{F}_{31}$
- $\text{SSai} = \text{Na}(\text{Th, U})_2\text{F}_9$
- $\text{SSam} = (\text{Li, Na, K, Rb, Cs})\text{F}$
- $\text{SSan} = (\text{Ce, Th})\text{F}_x$
- $\text{SSao} = (\text{Ca, Th})\text{F}_x$
- $\text{SSap} = (\text{Ca, La})\text{F}_x$ (LaF_3 destabilized)
- $\text{SSaq} = (\text{Ca, La})\text{F}_x$ (CaF_2 destabilized)
- $\text{SSar} = (\text{La, Pu})\text{F}_x$
- $\text{SSas} = (\text{Na, Th})\text{F}_x$
- $\text{SSat} = (\text{U, Pu})\text{F}_x$
- $\text{SSau} = (\text{U, Th})\text{F}_x$
- $\text{SSav} = \text{Li}_3\text{ThF}_7\text{-BeF}_2\text{-LiBeThF}_7$
- $\text{SSaw} = (\text{Li, Na})_7\text{U}_6\text{F}_{31}$
- $\text{SSax} = \text{Na}_7(\text{Th, U})_2\text{F}_{15}$
- $\text{SSay} = \text{Na}_3\text{Th}_2\text{F}_{11}\text{-Na}_5\text{U}_3\text{F}_{17}$
- $\text{SSaz} = (\text{Li, Ni})\text{F}_x$
- $\text{SSba} = \text{Na}_5\text{Nd}_9\text{F}_{32}\text{-NaF}$
- $\text{SSbb} = (\text{Na, Ce})\text{F}_x$
- $\text{UF}_{34} = \text{UF}_{(3+x)}$

Chlorides

- $\text{SScb} = (\text{Li, K})\text{Cl}$
- $\text{SScc} = (\text{Li, K})\text{Cl}$
- $\text{SSce} = (\text{Li, Mg})\text{Cl}_x$
- $\text{SScf} = (\text{Li, Mg})\text{Cl}_x$
- $\text{SScg} = (\text{Na, K})_2\text{CeCl}_{15}$
- $\text{SSch} = (\text{Na, K})_3\text{CeCl}_6$
- $\text{SSci} = (\text{Na, K})_3\text{Ce}_5\text{Cl}_{18}$
- $\text{SScj} = (\text{Fe, Mg})\text{Cl}_2$
- $\text{SSck} = (\text{Mg, Ni})\text{Cl}_2$
- $\text{SScl} = (\text{Mg, Ni})\text{Cl}_2$
- $\text{SScm} = (\text{Fe, Ni})\text{Cl}_2$
- $\text{SScn} = (\text{Fe, Ni})\text{Cl}_2$
- $\text{SSco} = (\text{Li, Na})\text{Cl}$
- $\text{SScq} = (\text{Na, Ca})\text{Cl}_x$
- $\text{SScr} = (\text{Mg, Ca})\text{Cl}_2$
- $\text{SScs} = (\text{Na, K, Rb, Cs})\text{Cl}$

References

Ref. Number	Authors	Year	Title	Publication	Issue/Chapter	Pages	ORNL Doc #
1	E. Capelli, O. Benes, R.J.M Konings	2014	Thermodynamic assessment of the LiF-NaF-BeF ₂ -ThF ₄ -UF ₄ system	Journal of Nuclear Materials	449	111-121	
2	O. Benes, R.J.M Konings	2008	Thermodynamic evaluation of the MF-LaF ₃ (M = Li, Na, K, Rb, Cs) systems	Calphad-Computer Coupling of Phase Diagrams and Thermochemistry	32	121-128	
3	O. Benes, R.J.M Konings	2008	Actinide burner fuel: Potential compositions based on the thermodynamic evaluation of MF-PuF ₃ (M = Li, Na, K, Rb, Cs) and LaF ₃ -PuF ₃ systems	Journal of Nuclear Materials	377	449-457	
4	P. Chartrand, A.D. Pelton	2001	Thermodynamic evaluation and optimization of the LiF-NaF-KF-MgF ₂ -CaF ₂ system using the modified quasi-chemical model	Metallurgical and Materials Transactions a-Physical Metallurgy and Materials Science	32	1385-1396	
5	O. Benes, J.P.M van der Meer, R.J.M Konings	2007	Modelling and calculation of the phase diagrams of the LiF-NaF-RbF-LaF ₃ system	Calphad-Computer Coupling of Phase Diagrams and Thermochemistry	31	209-216	
6	O. Benes, R.J.M Konings	2013	Thermodynamic assessment of the LiF-CeF ₃ -ThF ₄ system: Prediction of PuF ₃ concentration in a molten salt reactor fuel	Journal of Nuclear Materials	435	164-171	
7	J.P.M van der Meer, R.J.M. Konings, K. Hack, H.A.J. Oonk	2006	Modeling and calculation of the LiF-NaF-MF ₃ (M = La, Ce, Pu) phase diagrams	Chemistry of Materials	18	510-517	
8	E. Capelli, O. Benes, P.E. Raison, M. Beilmann, C. Kunzel, R.J.M. Konings	2015	Thermodynamic Investigation of the CaF ₂ -ThF ₄ and the LiF-CaF ₂ -ThF ₄ Systems	Journal of Chemical and Engineering Data	60	3166-3174	
9	N. Vozarova, A.L. Smith, J-Y. Colle, P.E. Raison, D. Bouexiere, R.J.M Konings, O. Benes	2017	Thermodynamic determination and assessment of the CsF-ThF ₄ system	Journal of Chemical Thermodynamics	114	71-82	
10	X. Li, K. Wang, M. Xie, Z. Wu, L. Xie	2017	Thermodynamic and Phase Diagram Modeling of CsF-MF ₄ (M=U, Th) Systems	Chemical Research in Chinese Universities	33	454-459	
11	O. Benes, R.J.M Konings	2009	Thermodynamic evaluation of the (LiF + NaF + BeF ₂ + PuF ₃) system: An actinide burner fuel	Journal of Chemical Thermodynamics	41	1086-1095	
12	E. Capelli, O. Benes, R.J.M Konings	2015	Thermodynamic assessment of the LiF-ThF ₄ -PuF ₃ -UF ₄ system	Journal of Nuclear Materials	462	43-53	
13	R. Thoma	1959	Phase Diagrams of Nuclear Reactor Materials	Oak Ridge National Lab ORNL			ORNL-2548
14	R. Thoma	1965	Rare-Earth Halides	Oak Ridge National Lab ORNL			ORNL-3804
15	R. Thoma	1974	Condensed Equilibria in the Uranium(III)-Uranium(IV) Fluoride System	Journal of Inorganic Nuclear Chemistry	36	1095-1098	
16	J.P.M van der Meer, R.J.M. Konings, K. Hack, H.A.J. Oonk	2006	Modeling and calculation of the LiF-NaF-MF ₃ (M= La, Ce, Pu) phase diagrams	Chemistry of Materials	18	510-517	
17	J.A. Ocadiz-Flores, E. Capelli, P.E. Raison, R.J.M. Konings, A.L. Smith	2018	Thermodynamic assessment of the LiF-NiF ₂ , NaF-NiF ₂ and KF-NiF ₂ systems	Journal of Chemical Thermodynamics	121	17-26	
18	M. Beilmann, O. Benes, R.J.M. Konings, T. Fanghanel	2013	Thermodynamic assessment of the (LiF + UF ₃) and (NaF + UF ₃) systems	Journal of Chemical Thermodynamics	57	22-31	
19	P. Chartrand, A.D. Pelton	2001	Thermodynamic evaluation and optimization of the LiCl-NaCl-KCl-RbCl-CsCl-MgCl ₂ -CaCl ₂ system using the modified quasi-chemical model	Metallurgical and Materials Transactions a-Physical Metallurgy and Materials Science	32	1361-1383	
20	O. Benes, R.J.M Konings	2008	Thermodynamic evaluation of the NaCl-MgCl ₂ -UCl ₃ -PuCl ₃ system	Journal of Nuclear Materials	375	202-208	

21	M. Beilmann, O. Benes, R.J.M. Konings, T. Fanghanel	2011	Thermodynamic investigation of the (LiF+NaF+CaF ₂ +LaF ₃) system	Journal of Chemical Thermodynamics	43	1515-1524	
22	O. Benes, M. Beilmann, R.J.M. Konings	2010	Thermodynamic assessment of the LiF-NaF-ThF ₄ -UF ₄ system	Journal of Nuclear Materials	405	186-198	
23	FactSage		Pure Compound Values from NIST/JANAF				
24	J.W. McMurray, S.S. Raiman	2018	Thermodynamic modeling of the K-KCl and Mg-MgCl ₂ binary systems using the CALPHAD method	Solar Energy	170	1042	
25	J. Sangster, A.D. Pelton	1987	Phase Diagrams and Thermodynamic Properties of The 70 Binary Alkali Halide Systems having common anions	Journal of Physical and Chemical Reference Data	16	509	
26	Christian Robelin, Patrice Chartrand, Arthur D. Pelton	2004	Thermodynamic Evaluation and Optimization of the (NaCl-KCl-AlCl ₃) system	J. Chem. Thermodynamics	36	683-699	
27	Suddhasattwa Ghosh, B. Prabhakara Reddy, K. Nagarajan, K.C. Hari Kumar	2014	Experimental investigations and thermodynamic modelling of KCl-LiCl-UCl ₃ system	CALPHAD: Computer Coupling of Phase Diagrams and Thermochemistry	45	11-26	
28	Christian Robelin, Patrice Chartrand, Arthur D. Pelton	2004	A Thermodynamic Database for AlCl ₃ -Based Molten Salt Systems	Proceedings of The Electrochemical Society	2004-24	108-121	
29	R. Thoma	1972	High-Temperature Phase Equilibria In Lithium-Fluoride Sodium-Fluoride And Thorium-Fluoride Mixtures	Journal of Inorganic Nuclear Chemistry	34-9	2747-	
30	ORNL		Unpublished Work				
31	Guangxuan Lu, Christian Robelin, Patrice Chartrand, Moagang He, Kun Wang	2019	Thermodynamic Evaluation and Optimization of the (LiCl + NaCl + KCl + MgCl ₂ + CaCl ₂ + CeCl ₃) System	Fluid Phase Equilibria	487	83-97	
32	Christian Robelin, Patrice Chartrand, Arthur D. Pelton	2004	Thermodynamic Evaluation and Optimization of the (NaCl-KCl-MgCl ₂ -CaCl ₂ -MnCl ₂ -FeCl ₂ -CoCl ₂ -NiCl ₂) System	Journal of Chemical Thermodynamics	36	809-828	
33	R.E. Thoma, Herbert Insley, B.S. Landau, H.A. Friedman, W.R. Grimes	1958	Phase Equilibria in the Alkali Fluoride-Uranium Tetrafluoride Fused Salt Systems: II, The Systems KF-UF ₄ and RbF-UF ₄	Journal of the American Ceramic Society	14-12	538-544	
34	Hanna viitala, Pekka Taskinen, Daniel Lindberg	2019	Experimental determination and thermodynamic optimization of the CuCl-ZnCl ₂ , ZnCl ₂ -FeCl ₃ , CuCl-FeCl ₃ , CuCl-CuCl ₂ , FeCl ₂ -FeCl ₃ , FeCl ₂ -CuCl ₂ and CuCl-PbCl ₂ phase equilibria (1)	Calphad	67	101667	
35	Kun Wang, Christian Robelin, Liling Jin, Xiaoqin Zeng, Patrice Chartrand	2019	Thermodynamic Description of the K, Be // F, Cl Salt System with First-principles Calculations	Journal of Molecular Liquids	292	111384	
36	Huiqin Yin, Jian Lin, Biao Hu, Wenguan Liu, Xiaofeng Guo, Qi Liu, Zhongfeng Tang	2020	Thermodynamic Description of the Constitutive Binaries of the NaCl-KCl-UCl ₃ -PuCl ₃ System	Calphad	70	101783	
37	Wentao Zhou, Jinsuo Zhang	2017	Thermodynamic Evaluation of the LiCl-KCl-PuCl ₃ System	Journal of Alloys and Compounds	695	2306-2313	
38	R. Benz, R.M. Douglass	1961	Phase Equilibria in the Binary Systems PuCl ₃ -RbCl and PuCl ₃ -CsCl	Journal of Physical Chemistry	65	1461	
39	P. P. Federov, I.I Buchinskaya, O.S. Bondareva, A. A. Bystrova, L. L. Vistin, D. A. Ershov, S. P. Ivanov, V. A. Stasyuk, B. P. Sobolev	2000	Phase diagrams of the NaF-RF ₃ (R = La, Ce, Pr, Nd, Sm) Systems	Russian Journal of Inorganic Chemistry	45-6	949-952	

40	Christian Robelin, Patrice Chartrand, Arthur D. Pelton	2004	Thermodynamic evaluation and optimization of the (MgCl ₂ + CaCl ₂ + MnCl ₂ + FeCl ₂ + CoCl ₂ + NiCl ₂) system	Journal of Chemical Thermodynamics	36	793-808	
41	V.N. Desyatnik, Y.A. Izmodeno, Y.T. Melnikov, I.F. Nichkov, S.P. Raspopin	1969	Fusibility Diagrams of Systems Based on Magnesium and Uranium Chlorides	Soviet Atomic Energy-USSR	26-6	634	
42	Stanley Cantor, Wilfred T. Ward	1963	Freezing Point Depression in Sodium Fluoride. IV. Effects of Trivalent Fluorides	Journal of Physical Chemistry	67	2766-2769	
43	P. P. Federov	1999	Systems of Alkali and Rare-earth Metal Fluorides	Russian Journal of Inorganic Chemistry	44-11	1703-1727	
44	E. Aukrust, B. Bjorge, H. Flood, T. Forland	1960	Activities in Molten Salt Mixtures of Potassium-Lithium-Halide Mixtures: A Preliminary Report	Annals New York Academy of Sciences	79-11	830-837	
45	R.E. Thoma, Herbert Insley, G.M. Herber, H.A. Friedman, C.F. Weaver	1963	Phase Equilibria in the System NaF-ThF ₄ -UF ₄	Journal of the American Ceramic Society	46-1	37-42	
46	Christian Robelin, Patrice Chartrand	2013	Thermodynamic evaluation and optimization of the (NaF + AlF ₃ + CaF ₂ + BeF ₂ + Al ₂ O ₃ + BeO) system	Journal of Chemical Thermodynamics	57	387-403	
47	E. Capelli, O. Benes, R.J.M Konings	2018	Thermodynamics of soluble fission products cesium and iodine in the Molten Salt Reactor	Journal of Nuclear Materials	501	238-252	
48	O. Benes, R.J.M Konings, D. Sedmidubsky, M. Beilmann, O.S. Valu, E. Capelli, M. Salanne, S. Nichenko	2013	A comprehensive study of the heat capacity of CsF from T = 5 K to T = 1400 K	Journal of Chemical Thermodynamics	57	92-100	
49	M. H. A. Piro, K. Lipkina, D. Hallat	2021	Exploring crucible designs for differential scanning calorimetry measurements of fluoride salts	Thermochimica Acta	699	178860	
50	V. A. Volkov, I. G. Suglobova, D. E. Chirkst	1979	Phase Diagrams of Systems of Uranium Trifluoride with Fluoride of Alkali Metal	Atomnaya Energiya	47-2	110-112	
51	J. Sangster, A.D. Pelton	1991	Thermodynamic Calculation of Phase Diagrams of the 60 Common-ion Ternary Systems Containing Cations Li, Na, K, Rb, Cs and Anions F, Cl, Br, I	Journal of Phase Equilibria	12-5	511-537	
52	R. Gut, D.M. Gruen	1962	Die Binaren Phasendiagramme KCl-CrCl ₂ und CsCl-CrCl ₂	Chimia	16	289-290	
53	V.H. Seifert, K. Klatyk	1964	Über die Systeme Alkalimetallchlorid/Chrom(II)-chlorid	Zeitschrift für anorganische und allgemeine Chemie.	334	113-124	
54	J.C. Shiloff	1960	Thermal Analysis of the Chromous Chloride-Sodium Chloride System	Journal of Physical Chemistry	64	1566-1567	
55	V.G. Gopienko, S.N. Shkol'nikov, E.F. Klyuchnikova	1973	Microstructure and Phase Composition of NaCl-CrCl ₂ System	Journal of Applied Chemistry of the USSR	46-5	1189-1190	